

---

# KINETICS OF MATERIALS

---

**Robert W. Balluffi**

**Samuel M. Allen**

**W. Craig Carter**

With Editorial Assistance from Rachel A. Kemper

Department of Materials Science and Engineering  
Massachusetts Institute of Technology  
Cambridge, Massachusetts

This Page Intentionally Left Blank

# **KINETICS OF MATERIALS**

This Page Intentionally Left Blank

---

# KINETICS OF MATERIALS

---

**Robert W. Balluffi**

**Samuel M. Allen**

**W. Craig Carter**

With Editorial Assistance from Rachel A. Kemper

Department of Materials Science and Engineering  
Massachusetts Institute of Technology  
Cambridge, Massachusetts

 **WILEY-  
INTERSCIENCE**

**A JOHN WILEY & SONS, INC., PUBLICATION**

Copyright © 2005 by John Wiley & Sons, Inc. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey.  
Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600, or on the web at [www.copyright.com](http://www.copyright.com). Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008.

**Limit of Liability/Disclaimer of Warranty:** While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services please contact our Customer Care Department with the U.S. at 877-762-2974, outside the U.S. at 317-572-3993 or fax 317-572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print, however, may not be available in electronic format.

**Library of Congress Cataloging-in-Publication Data:**

Balluffi, Robert W., 1924–  
Kinetics of Materials / Robert W. Balluffi, Samuel M. Allen, W. Craig Carter;  
edited by Rachel A. Kemper;

p. cm.

Includes bibliographical references and index.

ISBN 13 978-0-471-24689-3 ISBN-10 0-471-24689-1

1. Materials—Mechanical Properties. 2. Materials science.

I. Allen, Samuel M. II. Carter, W. Craig. III. Kemper, Rachel A. IV.  
Title.

TA404.8.B35 2005

620.1'1292—dc22

2005047793

Printed in the United States of America.

10 9 8 7 6 5 4 3 2

# CONTENTS

---

<b>Preface</b>	<b>xvii</b>
<b>Acknowledgments</b>	<b>xix</b>
<b>Notation</b>	<b>xx</b>
<b>Symbols—Roman</b>	<b>xxi</b>
<b>Symbols—Greek</b>	<b>xxv</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Thermodynamics and Kinetics	2
1.1.1 Classical Thermodynamics and Constructions of Kinetic Theories	2
1.1.2 Averaging	4
1.2 Irreversible Thermodynamics and Kinetics	5
1.3 Mathematical Background	7
1.3.1 Fields	7
1.3.2 Variations	7
1.3.3 Continuum Limits and Coarse Graining	8
1.3.4 Fluxes	10
1.3.5 Accumulation	11
1.3.6 Conserved and Nonconserved Quantities	12
1.3.7 Matrices, Tensors, and the Eigensystem	13
Bibliography	16
Exercises	16
	<b>v</b>

**PART I MOTION OF ATOMS AND MOLECULES BY DIFFUSION**

<b>2</b>	<b>Irreversible Thermodynamics: Coupled Forces and Fluxes</b>	<b>23</b>
2.1	Entropy and Entropy Production	23
2.1.1	Entropy Production	25
2.1.2	Conjugate Forces and Fluxes	27
2.1.3	Basic Postulate of Irreversible Thermodynamics	27
2.2	Linear Irreversible Thermodynamics	28
2.2.1	General Coupling between Forces and Fluxes	28
2.2.2	Force–Flux Relations when Extensive Quantities are Constrained	30
2.2.3	Introduction of the Diffusion Potential	32
2.2.4	Onsager’s Symmetry Principle	33
	Bibliography	35
	Exercises	36
<b>3</b>	<b>Driving Forces and Fluxes for Diffusion</b>	<b>41</b>
3.1	Concentration Gradients and Diffusion	41
3.1.1	Self-Diffusion: Diffusion in the Absence of Chemical Effects	42
3.1.2	Self-Diffusion of Component $i$ in a Chemically Homogeneous Binary Solution	44
3.1.3	Diffusion of Substitutional Particles in a Chemical Concentration Gradient	44
3.1.4	Diffusion of Interstitial Particles in a Chemical Concentration Gradient	52
3.1.5	On the Algebraic Signs of Diffusivities	53
3.1.6	Summary of Diffusivities	53
3.2	Electrical Potential Gradients and Diffusion	54
3.2.1	Charged Ions in Ionic Conductors	55
3.2.2	Electromigration in Metals	55
3.3	Thermal Gradients and Diffusion	56
3.4	Capillarity and Diffusion	57
3.4.1	The Flux Equation and Diffusion Equation	58
3.4.2	Boundary Conditions	61
3.5	Stress and Diffusion	61
3.5.1	Effect of Stress on Mobilities	61
3.5.2	Stress as a Driving Force for Diffusion: Formation of Solute-Atom Atmosphere around Dislocations	62
3.5.3	Influence of Stress on the Boundary Conditions for Diffusion: Diffusional Creep	64
3.5.4	Summary of Diffusion Potentials	66
	Bibliography	67



Exercises	68
<b>4 The Diffusion Equation</b>	<b>77</b>
4.1 Fick's Second Law	77
4.1.1 Linearization of the Diffusion Equation	78
4.1.2 Relation of Fick's Second Law to the Heat Equation	79
4.1.3 Variational Interpretation of the Diffusion Equation	80
4.2 Constant Diffusivity	81
4.2.1 Geometrical Interpretation of the Diffusion Equation when Diffusivity is Constant	81
4.2.2 Scaling of the Diffusion Equation	81
4.2.3 Superposition	83
4.3 Diffusivity as a Function of Concentration	85
4.4 Diffusivity as a Function of Time	87
4.5 Diffusivity as a Function of Direction	88
Bibliography	91
Exercises	91
<b>5 Solutions to the Diffusion Equation</b>	<b>99</b>
5.1 Steady-State Solutions	100
5.1.1 One Dimension	100
5.1.2 Cylindrical Shell	101
5.1.3 Spherical Shell	102
5.1.4 Variable Diffusivity	102
5.2 Non-Steady-State Diffusion	103
5.2.1 Instantaneous Localized Sources in Infinite Media	103
5.2.2 Solutions Involving the Error Function	105
5.2.3 Method of Superposition	107
5.2.4 Method of Separation of Variables: Diffusion on a Finite Domain	107
5.2.5 Method of Laplace Transforms	110
5.2.6 Estimating the Diffusion Depth and Time to Approach Steady State	113
Bibliography	114
Exercises	114
<b>6 Diffusion in Multicomponent Systems</b>	<b>131</b>
6.1 General Formulation	131
6.2 Solving the Diffusion Equations	134
6.2.1 Constant Diffusivities	135
6.2.2 Concentration-Dependent Diffusivities	139

6.3	Measurement of Diffusivities	141
	Bibliography	141
	Exercises	141
<b>7</b>	<b>Atomic Models for Diffusion</b>	<b>145</b>
7.1	Thermally Activated Atomic Jumping	145
7.1.1	One-Particle Model with Square Potential-Energy Wells	146
7.1.2	One-Particle Model with Parabolic Potential-Energy Wells	148
7.1.3	Many-Body Model	149
7.2	Diffusion as a Series of Discrete Jumps	154
7.2.1	Relation of Diffusivity to the Mean-Square Particle Displacement	155
7.2.2	Diffusion and Random Walks	156
7.2.3	Diffusion with Correlated Jumps	158
	Bibliography	158
	Exercises	159
<b>8</b>	<b>Diffusion in Crystals</b>	<b>163</b>
8.1	Atomic Mechanisms	163
8.1.1	Ring Mechanism	164
8.1.2	Vacancy Mechanism	164
8.1.3	Interstitialcy Mechanism	165
8.1.4	Interstitial Mechanism	167
8.1.5	Diffusion Mechanisms in Various Materials	167
8.2	Atomic Models for Diffusivities	169
8.2.1	Metals	169
8.2.2	Ionic Solids	177
8.3	Diffusional Anelasticity (Internal Friction)	183
8.3.1	Anelasticity due to Reorientation of Anisotropic Point Defects	183
8.3.2	Determination of Diffusivities	189
	Bibliography	189
	Exercises	190
<b>9</b>	<b>Diffusion along Crystal Imperfections</b>	<b>209</b>
9.1	The Diffusion Spectrum	209
9.2	Grain Boundaries	214
9.2.1	Regimes of Grain-Boundary Short-Circuit Diffusion in a Polycrystal	214
9.2.2	Analysis of Diffusion in the A, B, and C Regimes	218
9.2.3	Mechanism of Fast Grain-Boundary Diffusion	221

9.3	Dislocations	222
9.4	Free Surfaces	223
	Bibliography	224
	Exercises	225
<b>10</b>	<b>Diffusion in Noncrystalline Materials</b>	<b>229</b>
10.1	Free-Volume Model for Liquids	229
10.2	Diffusion in Amorphous Metals	232
10.2.1	Self-Diffusion	232
10.2.2	Diffusion of Small Interstitial Solute Atoms	234
10.3	Small Atoms (Molecules) in Glassy Polymers	239
10.4	Alkali Ions in Network Oxide Glasses	240
10.5	Diffusion of Polymer Chains	241
10.5.1	Structure of Polymer Chains	241
10.5.2	Diffusion of Isolated Polymer Chains in Dilute Solutions	243
10.5.3	Diffusion of Densely Entangled Polymer Chains by Reptation	245
	Bibliography	247
<b>PART II MOTION OF DISLOCATIONS AND INTERFACES</b>		
<b>11</b>	<b>Motion of Dislocations</b>	<b>253</b>
11.1	Glide and Climb	253
11.2	Driving Forces on Dislocations	255
11.2.1	Mechanical Force	255
11.2.2	Osmotic Force	256
11.2.3	Curvature Force	257
11.2.4	Total Driving Force on a Dislocation	258
11.3	Dislocation Glide	258
11.3.1	Glide in Perfect Single Crystals	258
11.3.2	Glide in Imperfect Crystals Containing Various Obstacles	263
11.3.3	Some Experimental Observations	264
11.3.4	Supersonic Glide Motion	265
11.3.5	Contributions of Dislocation Motion to Anelastic Behavior	266
11.4	Dislocation Climb	266
11.4.1	Diffusion-Limited vs. Source-Limited Climb Kinetics	267
11.4.2	Experimental Observations	269
11.4.3	Analyses of Two Climb Problems	269
	Bibliography	274
	Exercises	275
<b>12</b>	<b>Motion of Crystalline Surfaces</b>	<b>285</b>
12.1	Thermodynamics of Interface Motion	285

12.2	Motion of Crystal/Vapor Interfaces	286
12.2.1	Structure of Crystal/Vapor Surfaces	287
12.2.2	Crystal Growth from a Supersaturated Vapor	288
12.2.3	Surfaces as Sinks for Supersaturated Lattice Vacancies	291
12.3	Interface Motion during Solidification	292
12.3.1	Structure of Crystal/Liquid Interfaces	292
12.3.2	Crystal Growth from an Undercooled Liquid	292
	Bibliography	294
	Exercises	295
<b>13</b>	<b>Motion of Crystalline Interfaces</b>	<b>303</b>
13.1	Thermodynamics of Crystalline Interface Motion	303
13.2	Conservative and Nonconservative Motion	304
13.3	Conservative Motion	305
13.3.1	Glissile Motion of Sharp Interfaces by Interfacial Dislocation Glide	305
13.3.2	Thermally Activated Motion of Sharp Interfaces by Glide and Climb of Interfacial Dislocations	308
13.3.3	Thermally Activated Motion of Sharp Interfaces by Atom Shuffling	311
13.3.4	Thermally Activated Motion of Diffuse Interfaces by Self-Diffusion	312
13.3.5	Impediments to Conservative Interface Motion	312
13.3.6	Observations of Thermally Activated Grain-Boundary Motion	315
13.4	Nonconservative Motion	317
13.4.1	Source Action of Sharp Interfaces	317
13.4.2	Diffusion-Limited Vs. Source-Limited Kinetics	321
	Bibliography	324
	Exercises	325
<b>PART III MORPHOLOGICAL EVOLUTION DUE TO CAPILLARY AND APPLIED MECHANICAL FORCES</b>		
<b>14</b>	<b>Surface Evolution due to Capillary Forces</b>	<b>337</b>
14.1	Isotropic Surfaces	338
14.1.1	Flattening of Free Surfaces by Surface Diffusion	338
14.1.2	Surface Evolution by Vapor Transport	341
14.1.3	Evolution of Perturbed Cylinder by Vapor Transport	345
14.1.4	Evolution of Perturbed Cylinder by Surface Diffusion	345
14.1.5	Thermodynamic and Kinetic Morphological Wavelengths	346
14.2	Anisotropic Surfaces	346

14.2.1	Some Geometrical Aspects of Anisotropic Surfaces	346
14.2.2	Rate of Morphological Interface Evolution	350
	Bibliography	353
	Exercises	354
<b>15</b>	<b>Coarsening due to Capillary Forces</b>	<b>363</b>
15.1	Coarsening of Particle Distributions	363
15.1.1	Classical Mean-Field Theory of Coarsening	363
15.1.2	Beyond the Classical Mean-Field Theory of Coarsening	371
15.2	Grain Growth	373
15.2.1	Grain Growth in Two Dimensions	373
15.2.2	Grain Growth in Three Dimensions	379
	Bibliography	382
	Exercises	384
<b>16</b>	<b>Morphological Evolution: Diffusional Creep, and Sintering</b>	<b>387</b>
16.1	Morphological Evolution for Simple Geometries	388
16.1.1	Evolution of Bamboo Wire via Grain-Boundary Diffusion	389
16.1.2	Evolution of a Bundle of Parallel Wires via Grain-Boundary Diffusion	391
16.1.3	Evolution of Bamboo Wire by Bulk Diffusion	392
16.1.4	Neck Growth between Two Spherical Particles via Surface Diffusion	394
16.2	Diffusional Creep	395
16.2.1	Diffusional Creep of Two-Dimensional Polycrystals	395
16.2.2	Diffusional Creep of Three-Dimensional Polycrystals	398
16.3	Sintering	400
16.3.1	Sintering Mechanisms	400
16.3.2	Sintering Microstructures	401
16.3.3	Model Sintering Experiments	403
16.3.4	Scaling Laws for Sintering	403
16.3.5	Sintering Mechanisms Maps	405
	Bibliography	406
	Exercises	408
<b>PART IV PHASE TRANSFORMATIONS</b>		
<b>17</b>	<b>General Features of Phase Transformations</b>	<b>419</b>
17.1	Order Parameters	420
17.1.1	One-Component or Fixed Stoichiometry Systems	420
17.1.2	Two-Component Systems	423
17.2	Molar Free-Energy Changes	428

17.3	Continuous and Discontinuous Transformations	430
	Bibliography	431
<b>18</b>	<b>Spinodal and Order–Disorder Transformations</b>	<b>433</b>
18.1	Interdiffusivity at Unstable Compositions	433
18.2	Diffuse Interface Theory	435
18.2.1	Free Energy of an Inhomogeneous System	436
18.2.2	Structure and Energy of Diffuse Interfaces	437
18.2.3	Diffusion Potential for Transformation	439
18.3	Evolution Equations for Order Parameters	440
18.3.1	Cahn–Hilliard Equation	440
18.3.2	Allen–Cahn Equation	441
18.3.3	Numerical Simulation and the Phase-Field Method	441
18.4	Decomposition and Order–Disorder: Initial Stages	443
18.4.1	Cahn–Hilliard: Critical and Kinetic Wavelengths	443
18.4.2	Allen–Cahn: Critical Wavelength	444
18.5	Coherency-Strain Effects	445
18.5.1	Generalizations of the Cahn–Hilliard and Allen–Cahn Equations	448
18.5.2	Diffraction and the Cahn–Hilliard Equation	450
	Bibliography	451
	Exercises	452
<b>19</b>	<b>Nucleation</b>	<b>459</b>
19.1	Homogeneous Nucleation	460
19.1.1	Classical Theory of Nucleation in a One-Component System without Strain Energy	460
19.1.2	Classical Theory of Nucleation in a Two-Component System without Strain Energy	468
19.1.3	Effect of Elastic Strain Energy	468
19.1.4	Nucleus Shape of Minimum Energy	473
19.1.5	More Complete Expressions for the Classical Nucleation Rate	474
19.1.6	Nonclassical Models for the Critical Nucleus	476
19.1.7	Discussion	476
19.2	Heterogeneous Nucleation	477
19.2.1	Nucleation on Grain Boundaries, Grain Edges, and Grain Corners	477
19.2.2	Nucleation on Dislocations	481
	Bibliography	484
	Exercises	485

<b>20 Growth of Phases in Concentration and Thermal Fields</b>	<b>501</b>
20.1 Growth of Planar Layers	502
20.1.1 Heat Conduction-Limited Growth	502
20.1.2 Diffusion-Limited Growth	504
20.1.3 Growth Limited by Heat Conduction and Mass Diffusion Simultaneously	508
20.1.4 Interface Source-Limited Growth	510
20.2 Growth of articles	512
20.2.1 Diffusion-Limited Growth	512
20.2.2 Interface Source-Limited Growth	514
20.3 Morphological Stability of Moving Interfaces	515
20.3.1 Stability of Liquid/Solid Interface during Solidification of a Unary System	516
20.3.2 Stability of $\alpha/\beta$ Interface during Diffusion-Limited Particle Growth	518
20.3.3 Stability of Liquid/Solid Interface during Binary Alloy Solidification	518
20.3.4 Analyses of Interfacial Stability	519
Bibliography	524
Exercises	526
<b>21 Concurrent Nucleation and Growth</b>	<b>533</b>
21.1 Overall Rate of Discontinuous Transformation	533
21.1.1 Time-Cone Analysis of Concurrent Nucleation and Growth	534
21.1.2 Transformations near the Edge of a Thin Semi-Infinite Plate	537
21.2 Time–Temperature–Transformation (TTT) Diagrams	538
Bibliography	540
Exercises	540
<b>22 Solidification</b>	<b>543</b>
22.1 One-Dimensional Solidification	543
22.1.1 Scheil Equation	543
22.1.2 Zone Melting and Zone Leveling	546
22.2 Cellular and Dendritic Solidification	547
22.2.1 Formation of Cells and Dendrites	547
22.2.2 Solute Segregation during Dendritic Solidification	548
22.3 Structure of Castings and Ingots	549
Bibliography	550
Exercises	550
<b>23 Precipitation</b>	<b>555</b>

23.1	General Features	555
23.2	Nucleus Morphology and Energy	556
23.3	Coherency Loss during Growth	557
23.4	Two Example Systems	558
23.4.1	Cu–Co System	558
23.4.2	Al–Cu System	560
	Bibliography	561
<b>24</b>	<b>Martensitic Transformations</b>	<b>563</b>
24.1	General Features	563
24.2	Crystallography	565
24.2.1	Lattice Deformation	565
24.2.2	Undistorted Plane by Application of Additional Lattice-Invariant Deformation	567
24.2.3	Invariant Plane by Addition of Rigid-Body Rotation	570
24.2.4	Tensor Analysis of the Crystallographic Problem	571
24.2.5	Further Aspects of the Crystallographic Model	571
24.3	Glissile Interface	572
24.4	Nucleation of Martensite	574
24.5	Examples of Martensitic Transformations	575
24.5.1	In–Tl System	575
24.5.2	Fe–Ni System	578
24.5.3	Fe–Ni–C System	579
	Bibliography	580
	Exercises	581
<b>Appendix A:</b>	<b>Densities, Fractions, and Atomic Volumes of Components</b>	<b>587</b>
A.1	Concentration Variables	587
A.1.1	Mass Density	587
A.1.2	Mass Fraction	588
A.1.3	Number Density or Concentration	588
A.1.4	Number, Mole, or Atom Fraction	588
A.1.5	Site Fraction	588
A.2	Atomic Volume	588
<b>Appendix B:</b>	<b>Structure of Crystalline Interfaces</b>	<b>591</b>
B.1	Geometrical Degrees of Freedom	591
B.2	Sharp and Diffuse Interfaces	592
B.3	Singular, Vicinal, and General Interfaces	593
B.4	Homophase and Heterophase Interfaces	595
B.5	Grain Boundaries	596



B.6	Coherent, Semicoherent, and Incoherent Interfaces	597
B.7	Line Defects in Crystal/Crystal Interfaces	599
	Bibliography	600
<b>Appendix C: Capillarity and Mathematics of Space Curves and Interfaces</b>		<b>601</b>
C.1	Specification of Space Curves and Interfaces	601
C.1.1	Space Curves	601
C.1.2	Interfaces	603
C.2	Isotropic Interfaces and Mean Curvature	605
C.2.1	Implications of Mean Curvature	605
C.3	Anisotropic Interfaces and Weighted Mean Curvature	608
C.3.1	Geometric Constructions for Anisotropic Surface Energies	608
C.3.2	Implications of Weighted Mean Curvature	610
C.4	Equilibrium at a Curved Interface	611
C.4.1	Gibbs–Thomson Equation	611
C.4.2	Equilibrium Solubilities of Small Dispersed-Phase Particles	612
	Bibliography	615
	<b>Illustration Credits</b>	<b>617</b>
	<b>Cited Author Index</b>	<b>620</b>
	<b>Figure Index</b>	<b>623</b>
	<b>Topic Index</b>	<b>639</b>

This Page Intentionally Left Blank

# PREFACE

---

This textbook has evolved from part of the first-year graduate curriculum in the Department of Materials Science and Engineering at the Massachusetts Institute of Technology (MIT). This curriculum includes four required semester-long subjects—“Materials at Equilibrium,” “Mechanical Properties of Materials,” “Electrical, Optical, and Magnetic Properties of Materials,” and “Kinetic Processes in Materials.” Together, these subjects introduce the essential building blocks of materials science and engineering at the beginning of graduate work and establish a foundation for more specialized topics.

Because the entire scope of kinetics of materials is far too great for a semester-length class or a textbook of reasonable length, we cover a range of selected topics representing the basic processes which bring about changes in the size, shape, composition, and atomistic structures of materials. The subject matter was selected with the criterion that structure is all-important in determining the properties (and applications) of materials. Topics concerned with fluid flow and kinetics, which are often important in the processing of materials, have not been included and may be found in standard texts such as those by Bird, Stewart, and Lightfoot [1] and Poirier and Geiger [2]. The major topics included in this book are:

- I. Motion of atoms and molecules by diffusion
- II. Motion of dislocations and interfaces
- III. Morphological evolution due to capillary and applied mechanical forces
- IV. Phase transformations

The various topics are generally introduced in order of increasing complexity. The text starts with diffusion, a description of the elementary manner in which atoms and molecules move around in solids and liquids. Next, the progressively more complex problems of describing the motion of dislocations and interfaces are addressed. Finally, treatments of still more complex kinetic phenomena—such as morphological evolution and phase transformations—are given, based to a large extent on topics treated in the earlier parts of the text.

The diffusional transport essential to many of these phenomena is driven by a wide variety of forces. The concept of a basic diffusion potential, which encompasses all of these forces, is therefore introduced early on and then used systematically in the analysis of the many kinetic processes that are considered.

We have striven to develop the subject in a systematic manner designed to provide readers with an appreciation of its analytic foundations and, in many cases, the approximations commonly employed in the field. We provide many extensive derivations of important results to help remove any mystery about their origins. Most attention is paid throughout to kinetic phenomena in crystalline materials; this reflects the interests and biases of the authors. However, selected phenomena in noncrystalline materials are also discussed and, in many cases, the principles involved apply across the board. We hope that with the knowledge gained from this book, students will be equipped to tackle topics that we have not addressed. The book therefore fills a significant gap, as no other currently available text covers a similarly wide range of topics.

The prerequisites for effective use of this book are a typical undergraduate knowledge of the structure of materials (including crystal imperfections), vector calculus and differential equations, elementary elasticity theory, and a somewhat deeper knowledge of classical thermodynamics and statistical mechanics. At MIT the latter prerequisite is met by requiring students to take “Materials at Equilibrium” before tackling “Kinetic Processes in Materials.” To facilitate acquisition of prerequisites, we have included important background material in abbreviated form in Appendices. We have provided a list of our most frequently used symbols, which we have tried to keep in correspondence with general usage in the field. Also included are many exercises (with solutions) that amplify and extend the text.

### *Bibliography*

1. B.R. Bird, W.E. Stewart, and N. Lightfoot. *Transport Phenomena*. John Wiley & Sons, New York, 2nd edition, 2002.
2. D.R. Poirier and G.H. Geiger. *Transport Phenomena in Materials Processing*. The Minerals, Metals and Materials Society, Warrendale, PA, 1994.

## ACKNOWLEDGMENTS

We wish to acknowledge generous assistance from many friends and colleagues, especially Dr. John W. Cahn, Dr. Rowland M. Cannon, Prof. Adrian P. Sutton, Prof. Kenneth C. Russell, Prof. Donald R. Sadoway, Dr. Dominique Chatain, Prof. David N. Seidman, and Prof. Krystyn J. Van Vliet. Prof. David T. Wu graciously provided an unpublished draft of his theoretical developments in three-dimensional grain growth which we have incorporated into Chapter 15. We frequently consulted Prof. Paul Shewmon's valuable textbooks on diffusion, and he kindly gave us permission to adapt and reprint Exercise 3.4.

Scores of students have used draft versions of this book in their study of kinetics and many have provided thoughtful criticism that has been valuable in making improvements.

Particular thanks are due Catherine M. Bishop, Valerie LeBlanc, Nicolas Mounet, Gilbert Nessim, Nathaniel J. Quitarano, Joel C. Williams, and Yi Zhang for their careful reading and suggestions. Ellen J. Siem provided illustrations from her Surface Evolver calculations. Scanning electron microscopy expertise was contributed by Jorge Feuchtwanger. Professors Alex King and Hans-Eckart Exner and Dr. Markus Döblinger furnished unpublished micrographs. Angela M. Locknar expended considerable effort securing hard-to-locate bibliographic sources. Andrew Standeven's care in drafting the bulk of the illustrations is appreciated. Jenna Picceri's and Geraldine Sarno's proofreading skills and work on gathering permissions are gratefully acknowledged. Finally, we wish to thank our editor, Rachel A. Kemper, for her invaluable assistance at all stages of the preparation of this work.

We are fortunate to have so many friends and colleagues who donated their time to help us correct and clarify the text. Although we have striven to remove them all, the remaining errors are the responsibility of the authors.

This textbook has evolved over eight years, during which our extended families have provided support, patience, indulgence, and sympathy. We thank you with all of our hearts.

## NOTATION

Notation	Definition
$\vec{a}$	Vector $a$ , the column vector $\vec{a}$
$\hat{a}$	Unit vector $a$
$\underline{A}$ , $[A_{ij}]$	Matrix $A$ , matrix $A$ in component form
$\mathbf{A}$	Tensor $A$ of rank two or greater
$\vec{a} \cdot \vec{b}$	Scalar, inner or dot product of $\vec{a}$ and $\vec{b}$
$\vec{a} \times \vec{b}$	Vector, outer or cross product of $\vec{a}$ and $\vec{b}$
$\vec{a}^T$ , $\underline{A}^T$	Transpose of $\vec{a}$ or $\underline{A}$
$\mathcal{A}$ , $A$ , $a$	Total amount of $A$ , amount of $A$ per mole or per atom as deduced from context, density of $A$
$\langle a \rangle$	Average value of $a$
$\nabla a$	Gradient of scalar field $a$
$\nabla \cdot \vec{A}$	Divergence of vector field $\vec{A}$
$\nabla \cdot \nabla a \equiv \nabla^2 a$	Laplacian of scalar field $a$
$\delta_{ij}$	Kronecker delta, $\delta_{ij} = 1$ for $i = j$ ; $\delta_{ij} = 0$ if $i \neq j$
$\mathcal{L}\{a\}$ or $\hat{a}$	Laplace transform of $a$
$\text{Ca}_K^\bullet$	Kröger–Vink notation for Ca on K-site with positive effective charge
$V'_{\text{Ag}}$	Kröger–Vink notation for vacancy on Ag-site with negative effective charge
$\text{S}_O^\times$	Kröger–Vink notation for S on O-site with zero effective charge

## SYMBOLS—ROMAN

Symbol	Definition	Units
$A$	Area	$\text{m}^2$
$a, b, c$	Lattice constants	$\text{m}$
$\vec{b}, b$	Burgers vector, magnitude of Burgers vector	$\text{m}$
$\vec{b}$	Specific magnetic moment	$\text{A m}^{-1}$
$c, c_i$	Concentration of molecules or atoms, concentration of species $i$	$\text{m}^{-3}, d = 3$ $\text{m}^{-2}, d = 2$ $\text{m}^{-1}, d = 1$
$D, \mathbf{D}$	Mass diffusivity, diffusivity tensor	$\text{m}^2 \text{s}^{-1}$
$D^{XL}$	Bulk diffusivity in crystalline material free of line or planar imperfections	$\text{m}^2 \text{s}^{-1}$
$D^B$	Boundary diffusivity	$\text{m}^2 \text{s}^{-1}$
$D^D$	Dislocation diffusivity	$\text{m}^2 \text{s}^{-1}$
$D^L$	Liquid diffusivity	$\text{m}^2 \text{s}^{-1}$
$D^S$	Surface diffusivity	$\text{m}^2 \text{s}^{-1}$
$\tilde{D}$	Chemical interdiffusivity	$\text{m}^2 \text{s}^{-1}$
$^*D$	Self-diffusivity in pure material	$\text{m}^2 \text{s}^{-1}$
$^*D_i$	Self-diffusivity of component $i$ in multicomponent system	$\text{m}^2 \text{s}^{-1}$
$D_i$	Intrinsic diffusivity of component $i$ in multicomponent system	$\text{m}^2 \text{s}^{-1}$
$d$	Spatial dimensionality	—
$E$	Activation energy	$\text{J atom}^{-1}$
$E$	Young's elastic modulus	$\text{Pa} = \text{J m}^{-3}$
$\vec{E}$	Electric field vector	$\text{V m}^{-1}$
$f$	Correlation factor for atomic jumps in diffusion	—

## SYMBOLS—ROMAN

Symbol	Definition	Units
$\mathcal{F}, F, f$	Helmholtz energy, Helmholtz energy per mole (or particle), Helmholtz energy density	J, J mol <sup>-1</sup> , J m <sup>-3</sup>
$\vec{F}, \vec{f}$	Force, force per unit length	N, N m <sup>-1</sup>
$\mathcal{G}, G, g$	Gibbs energy, Gibbs energy per mole (or particle), Gibbs energy density	J, J mol <sup>-1</sup> , J m <sup>-3</sup>
$\mathcal{H}, H, h$	Enthalpy, enthalpy per mole (or particle), enthalpy density	J, J mol <sup>-1</sup> , J m <sup>-3</sup>
$h$	Planck constant	6.626 × 10 <sup>-34</sup> J s
$I_q, I_i$	Current of electrical charge, current of species $i$	C s <sup>-1</sup> , s <sup>-1</sup>
$\hat{i}, \hat{j}, \hat{k}$	Unit vectors parallel to Cartesian coordinates $x, y, z$	—
$\vec{J}, \vec{J}_i$	Flux, flux of species $i$	m <sup>-2</sup> s <sup>-1</sup>
$J$	Nucleation rate	m <sup>-3</sup> s <sup>-1</sup>
$K$	Thermal conductivity	J m <sup>-1</sup> s <sup>-1</sup> K <sup>-1</sup>
$K$	Rate constant	various
$k$	Boltzmann constant	1.38 × 10 <sup>-23</sup> J K <sup>-1</sup>
$L_{\alpha\beta}$	Onsager coupling coefficient (or tensor)	m <sup>-2</sup> s <sup>-1</sup> N <sup>-1</sup>
$M, \mathbf{M}$	Mobility, mobility tensor	various
$M_i^\circ$	Atomic or molecular weight of species $i$	kg N <sub>o</sub> <sup>-1</sup>
$m$	Mass	kg
$N$	Number	—
$\mathcal{N}$	Total number of atoms or molecules in subsystem	—
$N_c$	Number of components in a solution	—
$N_o$	Avogadro's number	6.023 × 10 <sup>23</sup>



## SYMBOLS—ROMAN

Symbol	Definition	Units
$n$	Number per unit volume (concentration)	$\text{m}^{-3}$
$\hat{n}$	Unit normal vector at interface	—
$n_d$	Instantaneous diffusion-source strength	$\text{m}^{-2}$ , $d = 3$ $\text{m}^{-1}$ , $d = 2$ number, $d = 1$
$P$	Pressure	$\text{Pa} = \text{J m}^{-3}$
$p$	Probability	—
$\vec{p}$	Momentum	$\text{kg m s}^{-1}$
$Q$	Heat	J
$q$	Electrical charge	C
$R$	Radius	m
$\vec{r}$	Position vector relative to origin	m
$r, \theta, z$	Cylindrical coordinates	—
$r, \theta, \phi$	Spherical coordinates	—
$S, S, s$	Entropy, entropy per mole (or particle), entropy density	$\text{J K}^{-1}$ , $\text{J K}^{-1}\text{mol}^{-1}$ , $\text{J K}^{-1}\text{m}^{-3}$
$T$	Absolute temperature	K
$T_m$	Absolute melting temperature	K
$t$	Time	s
$\mathcal{U}, U, u$	Internal energy, internal energy per mole (or particle), internal energy density	J, $\text{J mol}^{-1}$ , $\text{J m}^{-3}$
$\vec{u}$	Displacement field	m

## SYMBOLS—ROMAN

Symbol	Definition	Units
$V$	Volume	$\text{m}^3$
$\vec{v}, v$	Velocity, speed	$\text{m s}^{-1}$
$v$	Specific volume	—
$W, w$	Work, work per unit volume	J
$X_i$	Composition variable: mole, atomic, or number fraction of component $i$	—
$x, y, z$	Cartesian orthogonal coordinates	m
$x_1, x_2, x_3$	General coordinates	—
$z, z_c$	Coordination number, effective coordination number for critical nucleus	—
$Z$	Partition function	—
$Z$	Zeldovich factor	—

## SYMBOLS—GREEK

Symbol	Definition	Units
$\Gamma', \Gamma$	Atomic or molecular jump frequency for a particular jump, total jump frequency	$\text{s}^{-1}$
$\gamma, \gamma(\hat{n})$	Surface or interfacial tension, work to produce unit interfacial area at constant stress and temperature at orientation $\hat{n}$	$\text{J m}^{-2}$
$\gamma_i$	Activity coefficient of component $i$	various
$\delta$	Effective thickness of grain boundary or surface layer; diameter of dislocation core	m
$\eta$	Diffusion scaling factor, $x/\sqrt{4Dt}$	—
$\hat{\zeta}$	Unit vector tangent to dislocation	—
$\varepsilon, \boldsymbol{\varepsilon}, \varepsilon_{ij}$	Component of strain, strain tensor, strain tensor in component form	$\text{mm}^{-1}$
$\kappa, \kappa_1, \kappa_2$	Mean curvature; principal curvatures	$\text{m}^{-1}$
$\kappa_\gamma$	Weighted mean curvature	$\text{J m}^{-3}$
$\kappa$	Thermal diffusivity	$\text{m}^2 \text{s}^{-1}$
$\lambda$	Wavelength	m
$\Lambda$	Elastic-energy shape factor	—
$\mu$	Elastic shear modulus	$\text{Pa} = \text{J m}^{-3}$
$\mu, \mu_i$	Chemical potential, chemical potential of species $i$	J
$\mu_i^\alpha, \mu_i^\circ$	Chemical potential of species $i$ in phase $\alpha$ , chemical potential of species $i$ in reference state	J
$\nu$	Frequency	$\text{s}^{-1}$

## SYMBOLS—GREEK

Symbol	Definition	Units
$\nu$	Poisson's ratio	—
$\vec{\xi}$	Capillarity vector	$\text{J m}^{-2}$
$\rho$	Density	$\text{kg m}^{-3}$
$\rho$	Electrical conductivity	$\text{C V}^{-1}\text{m}^{-1}\text{s}^{-1}$
$\sigma, \boldsymbol{\sigma}, \sigma_{ij}$	Stress, stress tensor, component of stress tensor	$\text{Pa} = \text{J m}^{-3}$
$\dot{\sigma}$	Rate of entropy production per unit volume	$\text{J m}^{-3}\text{s}^{-1}\text{K}^{-1}$
$\tau$	Characteristic time	s
$\Phi_i$	Diffusion potential for species $i$	J
$\phi$	Electrical potential	$\text{J C}^{-1}$
$\chi$	Site fraction	—
$\Omega, \Omega_i, \langle \Omega \rangle$	Atomic volume, atomic volume of component $i$ , average atomic volume	$\text{m}^3$
$\omega$	Angular frequency	$\text{s}^{-1}$

# CHAPTER 1

---

## INTRODUCTION

---

*Kinetics of Materials* is the study of the rates at which various processes occur in materials—knowledge of which is fundamental to materials science and engineering. Many processes are of interest, including changes of size, shape, composition, and structure. In all cases, the system must be out of equilibrium during these processes if they are to occur at a finite rate. Because the departure from equilibrium may be large or small and because the range of phenomena is so broad, the study of kinetics is necessarily complex. This complexity is reduced by introducing approximations such as the assumption of local equilibrium in certain regions of a system, linear kinetics, or mean-field behavior. In much of this book we employ these approximations.

Ultimately, a knowledge of kinetics is valuable because it leads to prediction of the rates of materials processes of practical importance. Analyses of the kinetics of such processes are included here as an alternative to a purely theoretical approach. Some examples of these processes with well-developed kinetic models are the rates of diffusion of a chemical species through a material, conduction of heat during casting, grain growth, vapor deposition, sintering of powders, solidification, and diffusional creep.

The *mechanisms* by which materials change are of prime importance in determining the kinetics. Materials science and engineering emphasizes the role of a material's microstructure. Structure and mechanisms are the yarn from which materials science is woven [1]. Understanding kinetic processes in, for example, crystalline materials relies as much on a thorough familiarity with vacancies, interstitials, grain

boundaries, and other crystal imperfections as it does on basic mathematics and physics. Extensive discussion of mechanisms is therefore a feature of this book.

We stress rigorous analysis, where possible, and try to build a foundation for understanding kinetics in preparation for concepts and phenomena that fall beyond the scope of this book. Also, in laying a foundation, we have selected basic topics that we feel will be part of the materials science and engineering curriculum for many years, no matter how technical applications of materials change. A comprehensive reading of this book and an effort at solving the exercises should provide the requisite tools for understanding most of the major aspects of kinetic processes in materials.

## 1.1 THERMODYNAMICS AND KINETICS

In the study of materials science, two broad topics are traditionally distinguished: thermodynamics and kinetics. *Thermodynamics* is the study of equilibrium states in which state variables of a system do not change with time, and *kinetics* is the study of the rates at which systems that are out of equilibrium change under the influence of various forces. The presence of the word *dynamics* in the term *thermodynamics* is therefore misleading but is retained for historical reasons.

In many cases, the study of kinetics concerns itself with the paths and rates adopted by systems approaching equilibrium. Thermodynamics provides invaluable information about the final state of a system, thus providing a basic reference state for any kinetic theory. Kinetic processes in a large system are typically rapid over short length scales, so that equilibrium is nearly satisfied locally; at the same time, longer-length-scale kinetic processes result in a slower approach to global equilibrium. Therefore, much of the machinery of thermodynamics can be applied locally under an assumption of local equilibrium. It is clear, therefore, that the subject of thermodynamics is closely intertwined with kinetics.

### 1.1.1 Classical Thermodynamics and Constructions of Kinetic Theories

Thermodynamics grew out of studies of systems that exchange energy. Joule and Kelvin established the relationship between work and the flow of heat which resulted in a statement of the first law of thermodynamics. In Clausius's treatise, *The Mechanical Theory of Heat*, the law of energy conservation was supplemented with a second law that defined entropy, a function that can only increase as an isolated system approaches equilibrium [2]. Poincaré coined the term *thermodynamiques* to refer to the new insights that developed from the first and second laws. Development of thermodynamics in the nineteenth century was devoted to practical considerations of work, energy supply, and efficiency of engines. At the end of the nineteenth century, J. Willard Gibbs transformed thermodynamics into the subject of phase stability, chemical equilibrium, and graphical constructions for analyzing equilibrium that is familiar to students of materials science. Gibbs used the first and second laws rigorously, but focused on the medium that stores energy during a work cycle. From Gibbs's careful and rigorous derivations of equilibrium conditions of matter, the modern subjects of chemical and material thermodynamics were born [3]. Modern theories of statistical and continuum thermodynamics—