

---

# Delivering Voice over IP Networks

Second Edition

DANIEL MINOLI  
EMMA MINOLI



Wiley Publishing, Inc.



# **Delivering Voice over IP Networks**



---

# Delivering Voice over IP Networks

Second Edition

DANIEL MINOLI  
EMMA MINOLI



Wiley Publishing, Inc.

Publisher: Robert Ipsen  
Editor: Margaret Eldridge  
Assistant Editor: Adaobi Obi  
Managing Editor: Angela Smith  
New Media Editor: Brian Snapp  
Text Design & Composition: North Market Street Graphics

Designations used by companies to distinguish their products are often claimed as trademarks. In all instances where John Wiley & Sons, Inc., is aware of a claim, the product names appear in initial capital or ALL CAPITAL LETTERS. Readers, however, should contact the appropriate companies for more complete information regarding trademarks and registration.

This text is printed on acid-free paper. ♻

Copyright © 2002 by Dan Minoli, Emmanuelle Minoli. All rights reserved.

Published by Wiley Publishing, Inc., Indianapolis, Indiana

Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4744. Requests to the Publisher for permission should be addressed to the Legal Department, Wiley Publishing, Inc., 10475 Crosspointe Blvd., Indianapolis, IN 46256, (317) 572-3447, fax (317) 572-4447, E-mail: permcoordinator@wiley.com.

This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold with the understanding that the publisher is not engaged in professional services. If professional advice or other expert assistance is required, the services of a competent professional person should be sought.

***Library of Congress Cataloging-in-Publication Data:***

Minoli, Daniel

Delivering voice over IP networks / Dan Minoli, Emma Minoli.— 2nd ed.

p. cm.

ISBN 0-471-38606-5

1. Internet telephony. 2. TCP/IP (Computer network protocol). 3. Digital telephone systems. 4. Computer networks. 5. Data transmission systems. I. Minoli, Emma. II. Title.

TK5105.8865 .M57 2002  
621.385—dc21

2002071368

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic versions. For more information about Wiley products, visit our web site at [www.wiley.com](http://www.wiley.com).

Printed in the United States of America.

10 9 8 7 6 5 4 3 2 1

---

# Contents

<i>PREFACE</i>	xiii
<i>ACKNOWLEDGMENT</i>	xv
<i>ABOUT THE AUTHORS</i>	xvii

## **Chapter 1: Introduction and Motivation 1**

1.1	INTRODUCTION	1
1.2	DRIVERS FOR VOICE OVER IP	6
	THE NEGATIVE DRIVERS	12
1.3	APPROACHES FOR IP-BASED VOICE SYSTEMS	14
	VOICE SERVERS APPROACH	15
	IP VOICE AND VIDEO PHONES	18
1.4	THE FUTURE	18
	REFERENCES	18

## **Chapter 2: An Overview of IP, IPOATM, MPLS, and RTP 21**

2.1	INTRODUCTION	21
2.2	INTERNET PROTOCOL	24
	THE ROLE OF THE IP	24
	IP ROUTING	26
	IP DATAGRAMS	29
	SUPPORT OF VOICE AND VIDEO IN ROUTERS	32
	IP VERSION 6 (IPv6)	33
2.3	IP OVER ATM (IPOATM)	36
2.4	BASIC SYNOPSIS OF MPLS	39
	MPLS FORWARDING/LABEL-SWITCHING MECHANISM	41
	MPLS LABEL-DISTRIBUTION MECHANISM	43
2.5	REAL-TIME TRANSPORT PROTOCOL (RTP)	45
2.6	RTP CONTROL PROTOCOL (RTCP)	50
2.7	STREAM CONTROL TRANSMISSION PROTOCOL (SCTP)	52

2.8	ATM QoS MECHANISMS	54
	QUALITY OF SERVICE PARAMETERS	56
	QoS CLASSES	57
	REFERENCES	59
	NOTES	61

## **Chapter 3: Issues in Packet Voice Communication 63**

3.1	INTRODUCTION	63
	SCOPE	64
	SUMMARY OF RESULTS	65
3.2	TRAFFIC MODELS	66
	INTRODUCTION	66
	SPEECH EVENTS	66
	SPEAKER MODELS	67
	CALL ORIGINATION MODEL	72
3.3	PERFORMANCE CRITERIA	74
	RESULTS OF SUBJECTIVE STUDIES	74
	SMOOTHNESS CRITERIA	76
3.4	LINK MODEL	78
	INTRODUCTION	79
	MODEL DESCRIPTION	79
3.5	RESULTS	84
	PROPERTIES OF THE DELAY DISTRIBUTION	84
	FINITE-BUFFER CASE	86
	EFFECT OF SPEECH MODELS	88
	OPTIMAL PACKET LENGTH	90
	TRANSIENT BEHAVIOR	92
3.6	CONCLUSION	95
	REFERENCES	96

## **Chapter 4: Voice Technologies for Packet-Based Voice Applications 101**

4.1	INTRODUCTION	101
	GENERAL OVERVIEW OF SPEECH TECHNOLOGY	101
	WAVEFORM CODING	102
	VOCODING (ANALYSIS/SYNTHESIS) IN THE FREQUENCY DOMAIN	107
4.2	G.727: ADPCM FOR PACKET NETWORK APPLICATIONS	111
	INTRODUCTION	111
	ADPCM ENCODER PRINCIPLES	114
	ADPCM DECODER PRINCIPLES	121

4.3	EXAMPLE OF APPLICATION	123
	REFERENCES	123
	NOTES	123

## **Chapter 5: Technology and Standards for Low-Bit-Rate Vocoding Methods 125**

5.1	INTRODUCTION	125
	OVERVIEW	127
	VOCODER ATTRIBUTES	128
	LINEAR PREDICTION ANALYSIS-BY-SYNTHESIS (LPAS) CODING	130
5.2	INTRODUCTION TO G.729 AND G.723.1	133
	DIFFERENTIATIONS	133
	STANDARDIZATION PROCESS	134
	STANDARDIZATION INTERVAL	135
5.3	G.723.1	136
	INTRODUCTION	136
	ENCODER/DECODER	136
5.4	G.728	138
	LD-CELP ENCODER	139
	LD-CELP DECODER	140
5.5	G.729	140
	ENCODER	141
	DECODER	143
5.6	EXAMPLE OF APPLICATIONS	145
	H.263 VIDEO CODING FOR LOW-BIT-RATE COMMUNICATION	145
	H.324 MULTIMEDIA COMMUNICATION	146
	H.323 MULTIMEDIA COMMUNICATIONS STANDARD FOR LANs AND ENTERPRISE NETWORKS	148
	REFERENCES	150
	NOTES	151

## **Chapter 6: Voice over IP and the Internet 153**

6.1	INTRODUCTION	153
6.2	IP/INTERNET BACKGROUND	157
	INTERNET PROTOCOL SUITE	157
	THE INTERNET	157
6.3	VOICE TRANSMISSION AND APPROACHES IN ATM, FRAME RELAY, AND IP	162
	ATM	162
	FRAME RELAY	164
	IP	164

ITU-T H.323 GROUP OF STANDARDS	165
STREAMING AUDIO	166
6.4 QoS PROBLEMS AND SOLUTIONS	167
6.5 PROTOCOLS FOR QoS SUPPORT FOR AUDIO AND VIDEO APPLICATIONS	169
RSVP APPLICATIONS	169
IP MULTICAST	171
6.6 INTERNET TELEPHONY SERVERS (ITSS)	172
6.7 THE VOICE OVER IP/INTERNET MARKET	177
6.8 VOIP REGULATORY ISSUES	177
6.9 CONCLUSION	180
REFERENCES	181
NOTES	181

## **Chapter 7: Signaling Approaches 183**

7.1 INTRODUCTION	183
7.2 SIGNALING IN CIRCUIT-SWITCHED NETWORKS	187
7.3 H.323 STANDARDS	189
FUNCTIONAL ELEMENTS	189
H.323 BASICS	190
EXAMPLE OF SIGNALING	196
7.4 MGCP	202
7.5 SIP	207
SIP PROTOCOL COMPONENTS	209
SIP-T	210
7.6 OTHER IETF SIGNALING EFFORTS	215
PINT AND SPIRITS	215
ENUM	218
TRIP	219
7.7 MEGACO	219
7.8 SIGTRAN PROTOCOLS	221
PERFORMANCE CONSIDERATIONS FOR CCSS7 OVER IP	223
SECURITY REQUIREMENTS FOR CCSS7 OVER IP	223
SCTP USE IN CCSS7	223
TRANSPORTING MTP OVER IP	226
TRANSPORTING SCCP OVER IP	229
7.9 SCTP	230
INTRODUCTION	230
MOTIVATION	230
ARCHITECTURAL VIEW OF SCTP	230
FUNCTIONAL VIEW OF SCTP	231
KEY TERMS	236
SERIAL NUMBER ARITHMETIC	236

SCTP PACKET FORMAT	239
SCTP ASSOCIATION STATE DIAGRAM	258
ASSOCIATION INITIALIZATION	260
USER DATA TRANSFER	262
TERMINATION OF AN ASSOCIATION	273
REFERENCES	276
NOTES	277

## Chapter 8: Quality of Service 279

8.1	INTRODUCTION	279
8.2	BACKGROUND	281
8.3	QoS APPROACHES	284
	PER-FLOW QoS	284
	CLASS-BASED QoS	288
	MPLS-BASED QoS	289
	TRAFFIC MANAGEMENT/QUEUE MANAGEMENT	291
8.4	QoS DETAILS	294
	IETF <i>INTSERV</i> APPROACH	294
	IETF <i>DIFFSERV</i> APPROACH	305
	ADDITIONAL DETAILS ON QUEUE MANAGEMENT	320
	CONCLUSION	326
8.5	CASE STUDY	327
	REAL-TIME SERVICE REQUIREMENTS	327
	TECHNICAL CHALLENGES	330
	CISCO SOLUTIONS FOR SUPPORTING IP-BASED REAL-TIME SERVICES	330
	REFERENCES	340
	NOTES	342

## Chapter 9: Voice over MPLS and Voice over IP over MPLS 343

9.1	INTRODUCTION AND BACKGROUND	343
9.2	MOTIVATIONS	344
9.3	BASIC MPLS FEATURES	349
	MPLS FORWARDING/LABEL-SWITCHING MECHANISM	353
	MPLS LABEL-DISTRIBUTION MECHANISM	356
	OTHER FEATURES	358
	COMPARISON	359
9.4	QoS CAPABILITIES	363
	INTRODUCTION	365
	DETAILS	368

9.5	VOICE APPLICATIONS	370
	IP HEADER COMPRESSION	371
	VOIPOMPLS PROPOSAL	372
	MPLS FORUM SPECIFICATION	374
	REFERENCES	375
	NOTES	376

## **Chapter 10: Telephone Number Mapping (ENUM) 377**

10.1	INTRODUCTION	377
10.2	BACKGROUND	379
10.3	INTRODUCTION TO ENUM	383
	ENUM: AN EVOLVING ARCHITECTURE	385
	DEFINING ENUM APPLICATIONS	387
	THE ENUM ROAD TO SUCCESS	389
10.4	SUMMARY OF CAPABILITIES AND ISSUES	390
	CAPABILITIES	390
	ADVOCACY	397
10.5	NUMBER PORTABILITY	398
	TYPES OF NP	400
	SPNP SCHEMES	401
	DATABASE QUERIES IN THE NP ENVIRONMENT	405
	CALL ROUTING IN THE NP ENVIRONMENT	408
	NP IMPLEMENTATIONS FOR GEOGRAPHIC E.164 NUMBERS	411
	NP-ENABLED NUMBER CONSERVATION METHODS	411
	CONCLUSION	414
10.6	E.164 NUMBERS AND DNS	417
	INTRODUCTION	417
	E.164 NUMBERS AND DNS	417
	FETCHING UNIFORM RESOURCE IDENTIFIERS (URIs) GIVEN AN E.164 NUMBER	418
	IANA CONSIDERATIONS	420
	SECURITY CONSIDERATIONS	420
10.7	APPENDIX TO THE RFC 2916 SCENARIO	421
	REFERENCES	422
	NOTES	424

## **Chapter 11: Carrier Applications 427**

11.1	INTRODUCTION AND OPPORTUNITIES	427
11.2	WHERE THE ACTION SHOULD BE	432
11.3	CARRIER VOICE NETWORKS	439

11.4	DEPLOYMENT AND ISSUES	446
	WIRELESS NETWORKS	450
	CABLE TELEPHONY NETWORKS	458
11.5	ENTERPRISE APPLICATIONS	465
11.6	INTERNATIONAL OPPORTUNITIES	466
11.7	EQUIPMENT/VENDOR TRENDS	469
	REFERENCES	473
	NOTES	474
	<i>INDEX</i>	477



---

# Preface

2001 represented the twenty-fifth anniversary of voice over packet work for the senior author. He was involved with work sponsored by the Advanced Research Projects Agency (ARPA) in 1976 to develop packet-based low-bit-rate vocoded voice for transport in integrated packet networks used by the U.S. government, and he continued to work on such solutions through the 1980s.

Developments in this field continued throughout the 1980s and into the 1990s, particularly regarding the standardization of vocoding methods that occurred in the mid-1990s and the major push by many router/switch vendors for the introduction of IP/Internet telephony, which started around 1997 and continues to the present.

The first edition of this book was compiled in August 1997; the book appeared in print in April 1998.

Voice over packet in general and voice over IP (VOIP) in particular have seen tremendous trade press, consultant, vendor, and conference hype in the past five years. Google.com identifies 285,000 hits when a search with the exact phrase “voice over IP” is used (a search on Marilyn Monroe shows only 252,000 hits). Considering the amount of air time given to the topic, the amount of actual deployment to date is underwhelming. What has held back the deployment of the technology includes the following:

- An underestimation of the importance, complexity, and purpose of signaling and the need to interconnect with the 1.4 billion telephone sets already deployed globally.
- The confusion brought about by the multiplicity of signaling protocols that have been advanced.
- A lack of understanding of the economic value of the embedded base of equipment in carrier networks that likely will continue to operate flawlessly for what it was intended to do (make money with net bottom line of around 20 percent) for a decade or more.
- A lack of understanding of where the true costs to deliver telephone services are.

- A lack of understanding of the commoditization of both switched voice and high-speed bandwidth, obliterating the value from any savings related to “bandwidth efficiency” of VOIP.
- A lack of understanding that any bandwidth savings in VOIP has nothing to do with IP but everything to do with vocoding algorithms that can well be supported without IP.
- The difficulty in securing Quality of Service (QoS) in public (and even private) IP networks.
- The most critical failure of all: a misunderstanding of where the value of VOIP has to be to make it successful. The bright spot for VOIP is that it brings forth a panoply of *new* services not possible with circuit-switched voice, not that it acts as a transport mechanism to replace existing trunks and/or Class 5 switches.

Why would anyone scrap what has over the years been called the best telephone system in the world just to replace it with something that does just the same and nothing more? A VOIP network cannot be just a “me too” network: “me too” carries voice.

Developers have to start focusing in earnest on bringing out new applications, not the chronic litany of “bandwidth efficiency” advantages. There is a reported glut of fiber. The DWDM can deliver terabits per second on fibers. The alleged need to save bandwidth is suspect and anachronistic; it is a dead end for VOIP.

Telecom professionals have to follow the lead of the PC developers: For well over a decade now, software developers have stopped trying to be highly parsimonious in RAM/disk drive efficiency so that an entire suite of new services of convenience on the desktop could be developed. Many new applications and capabilities have been developed on the desktop, including program linkage (audio and video) and easy-to-use browsers.

The story of VOIP has to be *less* on IP and the many new protocols that one can invent overnight, and *much more* on new applications, possibilities, services, interactions, voice capture, storage, manipulation, dissemination, interplay, and so on. That is why the first edition of this book had a chapter that, at face value, did not seem to fit in with the sophistication and intricacies of all those 300-page Internet protocols out there; it was a chapter on applications, or more specifically, on self-serve customer service Web-site applications. The message conveyed for VOIP to be successful: It is the applications, not the protocols. The same is true with audiophiles: It is the musical composition/content coming off the speaker that makes all the difference, not that one speaker rolls off at 44 Hz and the other at 43 Hz.

Voice over IP is not going to replace existing carrier networks in North America. Also, with PSTN-based voice becoming so cheap, it may not be worth the trouble to place voice on the intranet, except possibly for international applications. The future of VOIP must reside with new applications that it can and should bring forth.

For the second edition, we have updated Chapter 1, the introduction and motivation. We have updated Chapter 2, on packet technology, by adding material on Multiprotocol Label Switching (MPLS). Chapter 6, which looks at IP/Internet telephony, has been updated. Chapter 7 has been changed; it now covers the issue of signaling. Four new chapters have been added. Chapter 8 looks at (QoS) issues. Chapter 9 looks at voice over MPLS (VOMPLS) services. Chapter 10 looks at directory services, with one example of a service capability that must be supported; specifically, IEFT's ENUM. Chapter 11 looks at carrier applications in addition to migration strategies; it addresses the question of where it makes sense to use VOIP.

## Acknowledgment

The authors wish to thank Mr. Peter Johnson for contributing Chapter 11 to this book, which describes VOIP opportunities in the wireless space.



---

# About the Authors

## Daniel Minoli

Mr. Minoli, Managing Director, Econsultex Inc., has twenty-seven years marquee corporate experience in technology and applications related to, and focused on, broadband enterprise and carrier communications, Metro Ethernet and next-gen optics, LAN technology, voice over IP, Internet and intranet architectures and design, e-commerce, and multimedia applications. Most recently, Mr. Minoli was founder and/or cofounder of several high-tech companies, including InfoPort Communications Group, an optical and gigabit Ethernet metro carrier. In addition to a full-time corporate career, Mr. Minoli has taught graduate optical networking/datacommunications, voice over IP, multimedia, and e-commerce at Stevens Institute, New York University, Carnegie Mellon University, and Monmouth University as an adjunct for eighteen years. He has been a technical analyst for Dataquest Gartner (Datapro) for seventeen years and has also been a consultant for numerous Venture Capitalists' high-tech investments (exceeding \$125 million of investment). Mr. Minoli enjoys over 3330 Web hits with his name (e.g., Google.com "Minoli Daniel"). He has been a columnist for trade periodicals (*ComputerWorld*, *NetworkWorld*, and *Network Computing*), has written dozens of technology reports for Datapro Corporation and the Gartner Group, and has written five market reports for Probe Research Corporation. Mr. Minoli has spoken at over 75 conferences and has published 300 articles. He is often sought out for advice by companies, patent attorneys, and Venture Capitalists, and he has been involved in mezzanine investments, providing in-depth reviews of technology and market baseline for high-tech companies in the multimedia, digital video, CTI/Java, VSAT, and telemedicine arenas.

In the 1990s, he was a senior executive (Vice President, packet services) at TCG/AT&T, where he deployed several large data networks with a cumulative P&L of \$250 million in capital expenditure, \$75 million in operating expenditure, \$125 million in direct revenue, and \$4 billion in revenue impacted. Mr. Minoli started the Broadband/IP Services operation at the Teleport Communications Group in late 1994; he was "Broadband Data Employee #2" and built the operation to a \$25-million-per-year business (unit value: \$250 to \$300 million). Mr. Minoli's team deployed 2000 backbone/concentration/access routers and 100 ATM/frame relay

switches in 20 cities in 5 years; his team turned up 1500 active broadband ports and secured 400 broadband customers. Prior to AT&T/TCG, Mr. Minoli worked at DVI Communications (as Principal Consultant), where he managed the deployment of three major corporate ATM networks, including one for the Federal Reserve Bank. From 1985 to 1994, Mr. Minoli worked at Bellcore/Telcordia (as Technology Manager), where he thoroughly researched all aspects of broadband data networking—from service creation to standards writing, from architecture design to marketing, and so on. In the mid-1980s, he worked at Prudential Securities (as Assistant Vice President), deploying dozens of data networks, including a 300-node VSAT branch data network. At ITT Worldcom (from 1980 to 1984), he deployed a fax over packet network and automated nearly all carrier operations by developing over a dozen OSSs, including Customer Care/CRM. At Bell Labs, he worked on internal and public packet networks; at the Network Analysis Corporation, he undertook ARPA work on voice over packet, wireless networks, and integrated communications.

## Emma Minoli

Ms. Emma Minoli is CEO and Founder of Red Hill Consulting, a high-tech consulting firm specializing in the area of voice over IP, multimedia, and e-commerce technologies. Red Hill Consulting also focuses on marketing and public relations/advocacy for the aforementioned technologies. During the past five years, its clients have included AT&T, J. D. Edwards, Chase Manhattan Bank, InfoPort Communications Group, and EtherCarrier Communications. Ms. Minoli has coauthored several books, including *The Telecommunications Handbook*—Digital Video section (CRC Press/IEEE Press), 1999; *Delivering Voice over IP Networks* (Wiley), 1998; *Delivering Voice over Frame Relay and ATM* (Wiley), 1998; and *Web Commerce Technology Handbook* (McGraw-Hill), 1997.

---

# CHAPTER 1

## Introduction and Motivation


### 1.1 Introduction

Data networks have progressed to the point that it is now possible to support voice and multimedia applications right over the corporate enterprise network and the intranet, for both on-net and off-net applications. Many companies have already deployed IP-based backbones that provide both broadband capabilities and Quality of Service (QoS)-enabled communications. Some companies have deployed Asynchronous Transfer Mode (ATM) networks. Switching technology, particularly in terms of the switched local area network (LAN), has gone a long way in the past five years, providing higher-capacity, lower-contention services across the enterprise campus network. High-speed wide area technology, such as Packet over Synchronous (POS) Optical Network and metro optical services as metro gigabit Ethernet, provide increased bandwidth across the enterprise regional, nationwide, and international networks.

The Internet Engineering Task Force (IETF) Multiprotocol Label Switching (MPLS) specification also directly or indirectly provides improved support of IP services. In addition, QoS-supporting protocols, such as IPv6, Resource, Integrated Services Architecture (*intserv*), differentiated services (*diffserv*) in IPv4, and Real-time Transport Protocol (RTP), are now entering the corporate enterprise network (Reference [1] provides a treatment of the trends listed here). A lot of industry effort has gone into supporting IP over ATM using a number of technologies, such as Classical IP over ATM (CIOA). All of this opens the door for the possibility of carrying voice over the enterprise network. Interest exists in the carrier arena as to

the possibility of modernizing the existing public-switched telephone network (PSTN) with an IP-based infrastructure that would support multiple services, including Voice over IP (VOIP) (see Figure 1.1).

At the same time, commercialized Internet use has increased significantly in the past few years, as companies ventured into Web-based commerce [2]. During the




**Figure 1.1**  
*The VoIP environment.*

late 1990s, the Internet was reportedly growing 100 percent per quarter. More recently, people have quoted 80 percent growth (or perhaps slightly less) per year. That large collection of backbones, access subnetworks, server farms, and hypertext information that is known as the Internet is acquiring ever-increasing importance, not only for the business community but also for the population at large. Access to information is proving increasingly valuable for education, collaborative work, scientific research, commerce, and entertainment. The advent of HTML-formatted, URL-addressable, and HTTP-obtainable information over the Internet—what is often called the World Wide Web (WWW or W3)—has generated a lot of attention in the past 10 years. Now there is a movement afoot to make the transition to fully multimedia enabled sites that allow voice, video, data, and graphics to be accessed anywhere in the world. The issue so far, however, has been that voice and video, by and large, have been of the stored kind—namely, a one-way download of sound files that are played out in non-real time at the user's PC.


Given this extensive deployment of data networking resources, the question naturally presents itself, is it possible to use the investment already made to carry real-time voice in addition to the data? The desire to build one integrated network goes back to the 1970s, if not even earlier. The Advanced Research Projects Agency, with project DACH-15-75-C0135 (and many other projects with many other researchers), funded the senior author's work in 1975 to look at the feasibility of *integrated voice and data packet networks*. And Integrated Services Digital Network (ISDN) research started in Japan in the early 1970s (before the idea started to get some real attention in the late 1970s and early 1980s) with the explicit goal of developing and deploying integrated networks. However, a lot of the mainstream work has been in supporting voice and data over *circuit-switched* time-division multiplexed (TDM) networks. Only some early packet over data work, and then some Fiber Distributed Data Interface II (FDDI II) and Integrated Voice/Data LAN (IEEE 802.9) work, looked at voice support in a non-circuit-mode network. Even for ATM, the emphasis has been, until the past few years, on data services.

The idea of carrying voice over data networks has received considerable commercial attention in the past five years. The ATM Forum, the Frame Relay Forum, and the MPLS Forum have published specifications, and a whole range of voice over data network has appeared and/or is appearing. The work of the ATM Forum and the Frame Relay Forum has focused on connection-oriented networks. However, connectionless IP-based networks are ubiquitous, and so there is a desire to carry business-quality voice over them. The major challenge in this regard is that IP networks do not yet support QoS features. Nonetheless, a plethora of *IP phones* and IP-to-public-network *gateways* has entered the market.

This book is one of two related Wiley books published by the authors. This book focuses on the IP telephony technology itself. Figure 1.2 depicts the various voice over data network technologies now evolving, including VOIP. Also note that IP can utilize a number of data link layer services, such as ATM, MPLS, and frame relay. Figure 1.3 depicts a possible scenario of VOIP, as is addressed in this book.



**Figure 1.2**  
*Various packet technologies usable for Voice over Packet.*



**Figure 1.3**  
*Internet telephony.*

After this introduction in Chapter 1, a basic review of IP technologies is provided in Chapter 2, which covers IP, IPv6, RSVP, RTP, and MPLS. Chapter 3 discusses voice characteristics that can be utilized in packet networks. Chapter 4 discusses adaptive differential pulse code modulation (ADPCM) as applied to packet network environments. Chapter 5 provides an overview of vocoder-based compression methods used in IP. Chapter 6 covers various proposals for delivery of voice in IP environments. Chapter 7 covers the important topic of signaling. Chapter 8 provides a major review of QoS technologies. Chapter 9 covers voice over MPLS. Chapter 10 addresses directory services. Chapter 11 looks at opportunities for traditional carriers. Finally, Chapter 12 briefly looks at wireless opportunities.

## 1.2 Drivers for Voice over IP

This section discusses a number of drivers for voice over IP.

### The Positive Drivers

Besides the potential for savings on long-distance phone charges to communicate with friends or relatives, Internet phones already have a place in the business world. For example, one can leave Internet phones turned on and ready for calls throughout the day; the technology is useful for communicating with coworkers in other parts of the building and at other locations by simply dialing them up on the Internet videophone. If they are at their desks, they can answer immediately. It can be a fine way to ask work-related questions without taking one's hands off the keyboard [3]. The technology is good for telecommuters, who can dial in to the office and see and speak to coworkers while getting a glimpse of the office from home [3, 4]. Similarly, it can be good for distance learning applications [5]. There are both market and business drivers for the introduction of voice telephony over IP at this time.

There have been four main stages of VOIP evolution in the past few years [6]:

1. PC-to-PC (since 1994)
  - ⇒ Connects multimedia PC users, simultaneously online
  - ⇒ Cheap, good for chat, but inconvenient and low quality
2. PC-to-phone (since 1996)
  - ⇒ PC users make domestic and international calls via gateway
  - ⇒ Increasingly services are "free" (e.g., Dialpad.com)
3. Phone-to-phone (since 1997)
  - ⇒ Accounting rate bypass
  - ⇒ Low-cost market entry (e.g., using calling cards)

#### 4. Voice/Web integration (since 1998)


- ⇒ Calls to Web site/call centers and freephone numbers
- ⇒ Enhanced voice services (e.g., integrated messaging)

Deregulation in the United States and elsewhere could mean that both incumbent carriers and new carriers can enter the market with new services. At various times in the past twenty years, a variety of carriers in the United States were precluded from entering certain telecommunication service sectors. One of the goals of the Telecommunications Act of 1996 was to change that. However, there has recently been a major slowdown in the competitive carrier landscape. This slowdown will be a major drag on the introduction of VOIP, since the new carriers were the principal beneficiaries of a less expensive technology that could be deployed in greenfield environments.

The technology to carry voice over data networks is evolving, as noted in the introduction. There are economic advantages to end users in utilizing an integrated network, not only in terms of direct transmission costs, but also in reducing the network management costs of running separate and technologically different networks. That is the ultimate goal. In the meantime, many companies are, and will be for some time in the future, supporting the infrastructure and cost of multiple networks, including PSTN, private enterprise networks, wireless networks, intranets, business video networks, Internet access networks, and Internet-based Virtual Private Networks. Hence, the need to optimize the usage of all media components on all networks simultaneously, and to take advantage of pricing alternatives between networks, will become even more important as these networks proliferate in the corporate environment, and as the service providers offer increasingly competitive prices [7].


Separate from technology considerations, business drivers must come into play. Carriers need to make a positive bottom line (e.g., a 15 to 25 percent net bottom line) and be sustainable and self-sufficient. There are new revenue opportunities for Internet service providers (ISPs) in bundling voice service with Internet access. The interexchange carriers (IXCs) can avoid access charges. The local exchange carriers (LECs) can undercut the long-distance prices and offer Inter-LATA services without necessarily having to follow the traditional approach. Cable TV operators can bundle packet voice with cable services and perhaps find a better way to enter the telephony business without having to follow the classical *time-slot-interchange* method. Wireless companies can make more efficient use of the precious radio spectrum. Figures 1.4 to 1.9 depict typical carrier applications, based on reference [6]. All of these stakeholders can benefit by adding value to the network instead of just growing linearly to simply reach more physical points, and they can benefit by optimizing the economics of both packet-switched and circuit-switched networks. However, the major breakthrough has to come in the form of new services. Simply replacing a circuit-based transport mode with a packet-based transport mode will not justify the replacement of the old network with the new.

**Figure 1.4**  
*PC-to-PC, over IP.*




- Needs similarly equipped Internet users (e.g., IP telephony software, multimedia PC etc), both logged-on simultaneously
- Main applications: avoidance of usage-based telephone charges, chat-rooms, company LANs
- Application providers include Firetalk, Phonefree
- Potential Market: <50 million users?

In particular, the past few years have seen the emergence of reduced bit-rate voice compression algorithms that can increase the carrying capacity of a network by nearly tenfold (that is, by an order of magnitude) without the investment of additional resources in long-haul transmission facilities. The deployment, for example, of a network supporting near-toll-quality voice at 5.3 kbps rather than the twenty-five-year-old method of 64-kbps-per-call pulse code modulation (PCM) is not likely to be feasible in the context of an existing public switched telephone network because of the extensive embedded base of legacy equipment. Hence, if




- Internet users with multimedia PC able to call any phone or fax user (not, at present, *vice versa*)
- Main motivation: Reduced telephone charges, "free" calls to U.S., Korea, Hongkong SAR etc.
- Service providers include Net2Phone, DialPad etc.
- Market potential: Sending > 250 million Web users, receiving >1.3 billion telephone/mobile users

**Figure 1.5**  
*PC-to-phone (or fax), over IP.*



- Any phone/fax/mobilephone user to any other
- Main motivation: Reduced call charges, accounting rate bypass, market entry for non-facilities-based carriers (e.g., via pre-paid cards)
- Service providers include speak4free, I-link etc.
- Market potential: >1.4 billion phone/fax/mobiles


**Figure 1.6**  
*Phone/mobile-to-phone/mobile (fax-to-fax), over IP.*



- Internet users with multimedia PC browse Website and choose voice/video connection option
- Main motivation: Service provider can interact directly with potential clients, via voice or video, for instance for telemarketing, freephone access
- Service providers include NetCall, ITXC etc.
- Market potential: >300 million Internet users

**Figure 1.7**  
*PC-to-Website/call center, over IP.*

**Figure 1.8**  
*Phone/mobile-to-  
 Website/e-mail,  
 over IP.*



- Phone or mobilephone users utilize enhance services (e.g., integrated messaging, voice response) available from IP service provider
- Main motivation: Integrated messaging, computer telephony integration, m-commerce
- Market potential: >1.4 billion phone/mobile users
- Service providers include Yac.com, T2mail etc.

there is a desire to use the new compression algorithms and achieve a tenfold efficiency gain, then the IP route may be the way to go.

Voice over IP can be deployed in private enterprise networks, but some technology suppliers are concentrating on providing new solutions for carriers, consistent with the approach just outlined. Applications of the evolving VOIP technology include the following:

- Internet voice telephony
- Intranet and enterprise network voice telephony
- Internet fax service
- Internet videoconferencing
- Multimedia Internet collaboration
- Internet call centers
- PBX interconnection

It is worth noting that there has been considerable progress recently in developing standards (with supporting equipment to follow) in the area of LAN/intranet-based multimedia (with compressed speech), as shown in Figure