


Edited by Theo Mang and Wilfried Dresel

# Lubricants and Lubrication

Third, Completely Revised  
and Enlarged Edition





*Edited by*  
*Theo Mang and*  
*Wilfried Dresel*

**Lubricants and  
Lubrication**



*Edited by Theo Mang and Wilfried Dresel*

## **Lubricants and Lubrication**

Third, Completely Revised and Enlarged Edition

**WILEY-VCH**  
Verlag GmbH & Co. KGaA

## Editors

### **Prof. Dr. Theo Mang**

Fuchs Petrolub, Mannheim, Germany  
Holzweg 30  
69469 Weinheim  
Germany

### **Dr. Wilfried Dresel**

Fuchs Petrolub, Mannheim, Germany  
Treppenweg 4  
67063 Paul - Martin - Ufer 51  
Mannheim, Germany

**Cover:** Pictures from (c) fotolia/sveta (gears) and (c) fotolia/stuartbur (oil can).

All books published by **Wiley-VCH** are carefully produced. Nevertheless, authors, editors, and publisher do not warrant the information contained in these books, including this book, to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

**Library of Congress Card No.:** applied for

### **British Library Cataloguing-in-Publication Data**

A catalogue record for this book is available from the British Library.

### **Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available on the Internet at <http://dnb.d-nb.de>.

© 2017 Wiley-VCH Verlag GmbH & Co. KGaA, Boschstr. 12, 69469 Weinheim, Germany

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

**Print ISBN:** 978-3-527-32670-9

**ePDF ISBN:** 978-3-527-64558-9

**ePub ISBN:** 978-3-527-64557-2

**Mobi ISBN:** 978-3-527-64559-6

**oBook ISBN:** 978-3-527-64556-5

**Cover Design** Grafik-Design Schulz, Fußgönheim, Germany

**Typesetting** Thomson Digital, Noida, India

**Printing and Binding**

Printed on acid-free paper

## Contents

|                                   |        |
|-----------------------------------|--------|
| <b>List of Contributors</b>       | XXXVII |
| <b>A Word of Thanks</b>           | XXXIX  |
| <b>Preface to the 3rd Edition</b> | XLI    |
| <b>Abbreviations</b>              | XLIII  |

### Volume 1

|          |                                              |           |
|----------|----------------------------------------------|-----------|
| <b>1</b> | <b>Lubricants and Their Market</b>           | <b>1</b>  |
|          | <i>Theo Mang and Apu Gosalia</i>             |           |
| 1.1      | Introduction                                 | 1         |
| 1.2      | Lubricants Demand                            | 2         |
| 1.3      | Lubricants Competitor Landscape              | 5         |
| 1.4      | Lubricant Systems                            | 7         |
|          | References                                   | 9         |
| <b>2</b> | <b>Lubricants in the Tribological System</b> | <b>11</b> |
|          | <i>Theo Mang and Christian Busch</i>         |           |
| 2.1      | Lubricants as Part of Tribological Research  | 11        |
| 2.2      | The Tribological System                      | 12        |
| 2.3      | Friction                                     | 12        |
| 2.3.1    | Types of Friction                            | 13        |
| 2.3.1.1  | Sliding Friction                             | 13        |
| 2.3.1.2  | Rolling Friction                             | 14        |
| 2.3.1.3  | Static Friction                              | 16        |
| 2.3.1.4  | Kinetic Friction                             | 16        |
| 2.3.1.5  | Stick–Slip                                   | 16        |
| 2.3.2    | Friction and Lubrication Conditions          | 17        |
| 2.3.2.1  | Solid Friction (Dry Friction)                | 17        |
| 2.3.2.2  | Boundary Friction                            | 17        |
| 2.3.2.3  | Fluid Friction                               | 17        |
| 2.3.2.4  | Mixed Friction                               | 18        |
| 2.3.2.5  | Solid Lubricant Friction                     | 18        |
| 2.3.2.6  | Stribeck Diagram                             | 19        |
| 2.3.2.7  | Hydrodynamic Lubrication                     | 19        |

|          |                                                                                             |           |
|----------|---------------------------------------------------------------------------------------------|-----------|
| 2.3.2.8  | Elastohydrodynamic Lubrication (EHD Regime)                                                 | 20        |
| 2.3.2.9  | Thermo-Elasto-Hydrodynamic Lubrication (TEHD)                                               | 21        |
| 2.4      | Wear                                                                                        | 21        |
| 2.4.1    | Wear Mechanisms                                                                             | 21        |
| 2.4.1.1  | Abrasion                                                                                    | 22        |
| 2.4.1.2  | Adhesion                                                                                    | 22        |
| 2.4.1.3  | Tribochemical Reactions                                                                     | 23        |
| 2.4.1.4  | Surface Fatigue                                                                             | 23        |
| 2.4.1.5  | Erosion                                                                                     | 24        |
| 2.4.1.6  | Fretting                                                                                    | 24        |
| 2.4.1.7  | Cavitation                                                                                  | 24        |
| 2.4.1.8  | Corrosive Wear                                                                              | 24        |
| 2.4.2    | Types of Wear                                                                               | 25        |
| 2.4.3    | The Wear Process                                                                            | 25        |
| 2.4.4    | Tribomutation                                                                               | 25        |
| 2.4.5    | Nanotribology                                                                               | 27        |
| 2.4.6    | Tribosystems of Tomorrow                                                                    | 29        |
|          | References                                                                                  | 29        |
| <b>3</b> | <b>Rheology of Lubricants</b>                                                               | <b>31</b> |
|          | <i>Theo Mang</i>                                                                            |           |
| 3.1      | Viscosity                                                                                   | 31        |
| 3.2      | Influence of Temperature on Viscosity ( $V$ - $T$ Behaviour)                                | 33        |
| 3.2.1    | Viscosity Index                                                                             | 34        |
| 3.3      | Viscosity-Pressure Dependency                                                               | 34        |
| 3.4      | The Effect of Shear Rate on Viscosity                                                       | 37        |
| 3.5      | Special Rheological Effects                                                                 | 38        |
| 3.5.1    | Greases                                                                                     | 38        |
| 3.6      | Viscosity Grades                                                                            | 39        |
| 3.6.1    | ISO Viscosity Grades                                                                        | 39        |
| 3.6.2    | Other Viscosity Grades                                                                      | 40        |
| 3.6.2.1  | Engine Oils                                                                                 | 40        |
| 3.6.2.2  | Automotive Gear Oils                                                                        | 40        |
| 3.6.2.3  | Industrial Gear Oils                                                                        | 40        |
| 3.6.2.4  | Viscosity Grades for Base Oils                                                              | 40        |
| 3.6.2.5  | Comparison of Viscosity Grades                                                              | 40        |
| 3.7      | Viscosity Measurements                                                                      | 42        |
|          | <i>Nael Zaki</i>                                                                            |           |
| 3.7.1    | Measurement of Viscosity by Capillary Tubes                                                 | 42        |
| 3.7.1.1  | Newtonian Fluids                                                                            | 42        |
| 3.7.2    | 2 Non-Newtonian Fluids                                                                      | 43        |
| 3.7.2.1  | Lubricating Greases Viscosity Measurements by the Standard Oil Development (SOD) Viscometer | 44        |
| 3.7.3    | High Shear Rate Capillary Viscometers                                                       | 44        |
| 3.7.4    | Rotational Viscometers                                                                      | 46        |

|          |                                                                   |           |
|----------|-------------------------------------------------------------------|-----------|
| 3.7.4.1  | Coaxial Cylinder Viscometer                                       | 46        |
| 3.7.4.2  | Cone/Plate Viscometer                                             | 46        |
| 3.8      | Viscosity Measurements at High Pressure                           | 47        |
|          | References                                                        | 49        |
| <b>4</b> | <b>Base Oils</b>                                                  | <b>51</b> |
|          | <i>Theo Mang and Georg Lingg</i>                                  |           |
| 4.1      | Base Oils: A Historical Review and Outlook                        | 51        |
| 4.2      | Chemical Characterization of Mineral Base Oils                    | 52        |
| 4.2.1    | Rough Chemical Characterization                                   | 52        |
| 4.2.1.1  | Viscosity–Gravity Constant (VGC)                                  | 52        |
| 4.2.1.2  | Aniline Point                                                     | 52        |
| 4.2.2    | Carbon Distribution                                               | 53        |
| 4.2.3    | Hydrocarbon Composition                                           | 53        |
| 4.2.4    | Polycyclic Aromatics in Base Oils                                 | 53        |
| 4.2.4.1  | Aromatics in White Mineral Oils                                   | 55        |
| 4.3      | Refining                                                          | 55        |
| 4.3.1    | Distillation                                                      | 56        |
| 4.3.2    | De-Asphalting                                                     | 57        |
| 4.3.3    | Traditional Refining Processes                                    | 58        |
| 4.3.3.1  | Acid Refining                                                     | 58        |
| 4.3.3.2  | Solvent Extraction                                                | 58        |
| 4.3.4    | Solvent Dewaxing                                                  | 60        |
| 4.3.5    | Finishing                                                         | 61        |
| 4.3.5.1  | Lube Crudes                                                       | 62        |
| 4.4      | Base Oil Manufacturing by Hydrogenation and Hydrocracking         | 62        |
| 4.4.1    | Manufacturing Naphthenic Base Oils by Hydrogenation               | 63        |
| 4.4.2    | Production of White Oils                                          | 65        |
| 4.4.3    | Lube Hydrocracking                                                | 66        |
| 4.4.4    | Catalytic Dewaxing                                                | 67        |
| 4.4.5    | Wax Isomerization                                                 | 70        |
| 4.4.6    | Hybrid Lube Oil Processing                                        | 70        |
| 4.4.7    | All-Hydrogen Route                                                | 71        |
| 4.4.8    | Gas-to-Liquids Conversion Technology                              | 72        |
| 4.5      | Boiling and Evaporation Behaviour of Base Oils                    | 73        |
| 4.6      | Base Oil Categories and Evaluation of Various Petroleum Base Oils | 78        |
|          | References                                                        | 81        |
| <b>5</b> | <b>Synthetic Base Oils</b>                                        | <b>83</b> |
|          | <i>Wilfried Dresel</i>                                            |           |
| 5.1      | Synthetic Hydrocarbons                                            | 84        |
| 5.1.1    | Polyalphaolefins                                                  | 85        |
| 5.1.2    | Polyinternalolefins                                               | 87        |
| 5.1.3    | Polybutenes                                                       | 88        |

|          |                                                |            |
|----------|------------------------------------------------|------------|
| 5.1.4    | Alkylated Aromatics                            | 89         |
| 5.1.5    | Other Hydrocarbons                             | 90         |
| 5.2      | Halogenated Hydrocarbons                       | 91         |
| 5.3      | Synthetic Esters                               | 92         |
| 5.3.1    | Esters of carboxylic acids                     | 92         |
| 5.3.1.1  | Dicarboxylic Acid Esters                       | 93         |
| 5.3.1.2  | Polyol Esters                                  | 94         |
| 5.3.1.3  | Other Carboxylic Esters                        | 95         |
| 5.3.1.4  | Complex Esters, Complex Polymer Esters         | 96         |
| 5.3.1.5  | Fluorinated Carboxylic Acid Esters             | 97         |
| 5.3.2    | Phosphate Esters                               | 97         |
| 5.4      | Polyalkylene Glycols                           | 98         |
| 5.5      | Other Polyethers                               | 100        |
| 5.5.1    | Perfluorinated Polyethers                      | 101        |
| 5.5.2    | Polyphenyl Ethers                              | 102        |
| 5.5.3    | Polysiloxanes (Silicone Oils, Silicones)       | 103        |
| 5.6      | Other Synthetic Base Oils                      | 105        |
| 5.7      | Comparison of Synthetic Base Oils              | 109        |
| 5.8      | Mixtures of Synthetic Lubricants               | 109        |
|          | References                                     | 110        |
| <b>6</b> | <b>Additives</b>                               | <b>117</b> |
|          | <i>Jürgen Braun</i>                            |            |
| 6.1      | Antioxidants                                   | 118        |
| 6.1.1    | Mechanism of Oxidation and Antioxidants        | 118        |
| 6.1.2    | Compounds                                      | 120        |
| 6.1.2.1  | Phenolic Antioxidants                          | 120        |
| 6.1.2.2  | Aromatic Amines                                | 121        |
| 6.1.2.3  | Compounds Containing Sulfur and Phosphorus     | 122        |
| 6.1.2.4  | Organosulfur Compounds                         | 123        |
| 6.1.2.5  | Organophosphorus Compounds                     | 123        |
| 6.1.2.6  | Other Compounds                                | 123        |
| 6.1.2.7  | Synergistic Mixtures                           | 123        |
| 6.1.3    | Testing of the Oxidation Stability             | 123        |
| 6.2      | Viscosity Modifiers                            | 124        |
| 6.2.1    | Physical Description of Viscosity Index        | 124        |
| 6.2.2    | VI Improvement Mechanisms                      | 125        |
| 6.2.3    | Structure and Chemistry of Viscosity Modifiers | 127        |
| 6.3      | Pour Point Depressants (PPD)                   | 129        |
| 6.4      | Detergents and Dispersants                     | 130        |
| 6.4.1    | Mechanism of DD Additives                      | 130        |
| 6.4.2    | Metal-Containing Compounds (Detergents)        | 131        |
| 6.4.2.1  | Phenates                                       | 131        |
| 6.4.2.2  | Salicylates                                    | 131        |
| 6.4.2.3  | Thiophosphonates                               | 132        |

|          |                                                                            |            |
|----------|----------------------------------------------------------------------------|------------|
| 6.4.2.4  | Sulfonates                                                                 | 133        |
| 6.4.3    | Ashless Dispersants (AD)                                                   | 134        |
| 6.5      | Antifoam Agents                                                            | 136        |
| 6.5.1    | Silicon Defoamers                                                          | 136        |
| 6.5.2    | Silicone-Free Defoamers                                                    | 137        |
| 6.6      | Demulsifiers and Emulsifiers                                               | 137        |
| 6.6.1    | Demulsifiers                                                               | 137        |
| 6.6.2    | Emulsifiers                                                                | 138        |
| 6.7      | Dyes                                                                       | 138        |
| 6.8      | Antiwear (AW) and Extreme Pressure (EP) Additives                          | 138        |
| 6.8.1    | Function of AW/EP Additives                                                | 138        |
| 6.8.2    | Compounds                                                                  | 139        |
| 6.8.2.1  | Phosphorus Compounds                                                       | 139        |
| 6.8.2.2  | Compounds Containing Sulfur and Phosphorus                                 | 140        |
| 6.8.2.3  | Compounds Containing Sulfur and Nitrogen                                   | 141        |
| 6.8.2.4  | Sulfur Compounds                                                           | 142        |
| 6.8.2.5  | PEP Additives                                                              | 144        |
| 6.8.2.6  | Chlorine Compounds                                                         | 144        |
| 6.8.2.7  | Solid Lubricating Compounds                                                | 144        |
| 6.9      | Friction Modifiers (FM)                                                    | 144        |
| 6.10     | Corrosion Inhibitors                                                       | 145        |
| 6.10.1   | Mechanism of Corrosion Inhibitors                                          | 146        |
| 6.10.2   | Antirust Additives (Ferrous Metals)                                        | 146        |
| 6.10.2.1 | Sulfonates                                                                 | 146        |
| 6.10.2.2 | Carboxylic Acid Derivatives                                                | 147        |
| 6.10.2.3 | Amine-Neutralized Alkylphosphoric Acid Partial Esters                      | 148        |
| 6.10.2.4 | Vapour Phase Corrosion Inhibitors                                          | 148        |
| 6.10.3   | Metal Passivators (Non-Ferrous Metals)                                     | 149        |
|          | References                                                                 | 151        |
| <b>7</b> | <b>Lubricants in the Environment</b>                                       | <b>153</b> |
|          | <i>Rolf Luther</i>                                                         |            |
| 7.1      | Definition of 'Environment-Compatible Lubricants'                          | 153        |
| 7.1.1    | CEN Technical Report 16227 – Standard Designation of the Term Biolubricant | 155        |
| 7.2      | Current Situation                                                          | 156        |
| 7.2.1    | Statistical Data                                                           | 156        |
| 7.2.2    | Economic Consequences and Substitution Potential                           | 158        |
| 7.2.3    | Agriculture, Economy and Politics                                          | 160        |
| 7.2.4    | Political Initiatives                                                      | 161        |
| 7.3      | Tests to Evaluate Biotic Potential                                         | 162        |
| 7.3.1    | Biodegradation                                                             | 163        |
| 7.3.2    | Ecotoxicity                                                                | 163        |
| 7.3.3    | Emission Thresholds                                                        | 164        |
| 7.3.4    | Water Pollution                                                            | 164        |

|          |                                                                                              |     |
|----------|----------------------------------------------------------------------------------------------|-----|
| 7.3.4.1  | The German Water Hazardous Classes                                                           | 164 |
| 7.3.4.2  | German Regulations for Using Water-Endangering Lubricants (VAwS)                             | 166 |
| 7.4      | Environmental Legislation 1: Registration, Evaluation and Authorization of Chemicals (REACH) | 169 |
| 7.4.1    | Registration                                                                                 | 170 |
| 7.4.2    | Evaluation                                                                                   | 172 |
| 7.4.3    | Authorization                                                                                | 172 |
| 7.4.4    | Registration Obligations                                                                     | 173 |
| 7.5      | Globally Harmonized System of Classification and Labelling (GHS)                             | 175 |
| 7.6      | Environmental Legislation 2: Classification and Labelling of Chemicals                       | 177 |
| 7.6.1    | Dangerous Preparations Directive (1999/45/EC)                                                | 177 |
| 7.6.2    | Globally Harmonized System of Classification and Labelling of Chemicals (GHS)                | 179 |
| 7.7      | Environmental Legislation 3: Regular use                                                     | 180 |
| 7.7.1    | Environmental Liability Law                                                                  | 181 |
| 7.7.2    | The Chemicals Law, Hazardous Substances Law                                                  | 181 |
| 7.7.3    | Transport Regulations                                                                        | 182 |
| 7.7.4    | Disposal (Waste and Recycling Laws)                                                          | 182 |
| 7.7.5    | Disposal Options for 'Not Water Pollutant' Vegetable Oils                                    | 183 |
| 7.8      | Environmental Legislation 4: Emissions                                                       | 184 |
| 7.8.1    | Air Pollution                                                                                | 184 |
| 7.8.2    | Water Pollution                                                                              | 184 |
| 7.8.3    | German Law for Soil Protection                                                               | 185 |
| 7.8.4    | German Water Law                                                                             | 186 |
| 7.8.5    | Wastewater Charges                                                                           | 187 |
| 7.8.6    | Clean Air: German Emissions Law                                                              | 187 |
| 7.8.7    | Drinking Water Directive                                                                     | 187 |
| 7.9      | Standardization of Environment-Compatible Hydraulic Fluids                                   | 188 |
| 7.9.1    | The German Regulation VDMA 24568                                                             | 188 |
| 7.9.2    | ISO Regulation 15380                                                                         | 188 |
| 7.10     | Environmental Seal                                                                           | 194 |
| 7.10.1   | Global Eco-Labeling Network                                                                  | 194 |
| 7.10.2   | European Eco-Label for Lubricants (EEL)                                                      | 195 |
| 7.10.3   | The German 'Blue Angel'                                                                      | 200 |
| 7.10.4   | Nordic Ecolabel (Norway, Sweden, Finland, Iceland): 'White Swan'                             | 204 |
| 7.10.4.1 | Requirements Concerning Renewable Resources                                                  | 206 |
| 7.10.4.2 | Requirements Concerning Re-Refined Oil                                                       | 206 |
| 7.10.4.3 | Requirements Concerning Environmentally Harmful Components                                   | 206 |
| 7.10.4.4 | Requirements for Hydraulic Fluids, Mould Oil, Metalworking Fluids                            | 206 |

|          |                                                                                 |     |
|----------|---------------------------------------------------------------------------------|-----|
| 7.10.5   | Sweden Standard                                                                 | 207 |
| 7.10.6   | The Canadian 'Environmental Choice' (Maple Leaf)                                | 208 |
| 7.10.7   | Other Eco-Labels                                                                | 209 |
| 7.10.7.1 | Austria                                                                         | 209 |
| 7.10.7.2 | France                                                                          | 210 |
| 7.10.7.3 | Japan                                                                           | 210 |
| 7.10.7.4 | USA                                                                             | 211 |
| 7.10.7.5 | The Netherlands                                                                 | 211 |
| 7.10.7.6 | US-Regulation VGP and Definition of Environmentally Acceptable Lubricants (EAL) | 212 |
| 7.11     | Base Fluids                                                                     | 214 |
| 7.11.1   | Biodegradable Base Oils for Lubricants                                          | 214 |
| 7.11.2   | Synthetic Esters                                                                | 214 |
| 7.11.3   | Polyglycols                                                                     | 215 |
| 7.11.4   | Polyalphaolefins                                                                | 215 |
| 7.11.5   | Relevant Properties of Ester Oils                                               | 215 |
| 7.11.5.1 | Evaporation Loss                                                                | 215 |
| 7.11.5.2 | Viscosity–Temperature Behaviour                                                 | 216 |
| 7.11.5.3 | Boundary Lubrication                                                            | 216 |
| 7.12     | Additives                                                                       | 216 |
| 7.12.1   | Extreme Pressure/Antiwear Additives                                             | 217 |
| 7.12.2   | Corrosion Protection                                                            | 217 |
| 7.12.3   | Antioxidants                                                                    | 217 |
| 7.13     | Products (Examples)                                                             | 218 |
| 7.13.1   | Hydraulic Fluids                                                                | 218 |
| 7.13.2   | Metal Working Oil                                                               | 218 |
| 7.13.3   | Oil-Refreshing System                                                           | 219 |
| 7.14     | Safety Aspects of Handling Lubricants (Working Materials)                       | 220 |
| 7.14.1   | Toxicological Terminology and Hazard Indicators                                 | 220 |
| 7.14.1.1 | Acute Toxicity                                                                  | 220 |
| 7.14.1.2 | Subchronic and Chronic Toxicity                                                 | 221 |
| 7.14.1.3 | Poison Categories                                                               | 221 |
| 7.14.1.4 | Corrosive and Caustic                                                           | 221 |
| 7.14.1.5 | Explosion and Flammability                                                      | 221 |
| 7.14.1.6 | Carcinogenic                                                                    | 222 |
| 7.14.1.7 | Teratogens and Mutagens                                                         | 222 |
| 7.14.2   | MAK (Maximum Workplace Concentration) Values                                    | 222 |
| 7.14.3   | Polycyclic Aromatic Hydrocarbons (PAK, PAH, PCA)                                | 223 |
| 7.14.4   | Nitrosamines in Cutting Fluids                                                  | 224 |
| 7.14.5   | Law on Flammable Fluids                                                         | 225 |
| 7.15     | Skin Problems Caused by Lubricants                                              | 225 |
| 7.15.1   | Structure and Function of the Skin                                              | 225 |
| 7.15.2   | Skin Damage                                                                     | 226 |
| 7.15.2.1 | Oil Acne (Particle Acne)                                                        | 226 |
| 7.15.2.2 | Oil Eczema                                                                      | 227 |

|          |                                                                   |            |
|----------|-------------------------------------------------------------------|------------|
| 7.15.3   | Testing Skin Compatibility                                        | 228        |
| 7.15.4   | Skin Function Tests                                               | 230        |
| 7.15.5   | Skin Care and Skin Protection                                     | 231        |
|          | Further Reading                                                   | 232        |
| <b>8</b> | <b>Disposal of Used Lubricating Oils</b>                          | <b>237</b> |
|          | <i>Theo Mang</i>                                                  |            |
| 8.1      | Possible Uses of Waste Oil                                        | 237        |
| 8.2      | Legislative Influences on Waste Oil Collection and Reconditioning | 239        |
| 8.3      | Re-Refining                                                       | 240        |
| 8.3.1    | Sulfuric Acid Refining (Meinken)                                  | 241        |
| 8.3.2    | Propane Extraction Process (IFP, Snamprogetti)                    | 241        |
| 8.3.3    | Mohawk Technology (CEP–Mohawk)                                    | 243        |
| 8.3.4    | KTI Process                                                       | 243        |
| 8.3.5    | PROP Process                                                      | 243        |
| 8.3.6    | Safety Kleen Process                                              | 244        |
| 8.3.7    | DEA Technology                                                    | 245        |
| 8.3.8    | Other Re-Refining Technologies                                    | 245        |
|          | References                                                        | 246        |
| <b>9</b> | <b>Lubricants for Internal Combustion Engines</b>                 | <b>249</b> |
|          | <i>Manfred Harperscheid</i>                                       |            |
| 9.1      | Four-Stroke Engine Oils                                           | 249        |
| 9.1.1    | General Overview                                                  | 249        |
| 9.1.1.1  | Fundamental Principles                                            | 250        |
| 9.1.1.2  | Viscosity Grades                                                  | 251        |
| 9.1.1.3  | Performance Specifications                                        | 253        |
| 9.1.1.4  | Formulation of Engine Oils                                        | 254        |
| 9.1.1.5  | Additives                                                         | 255        |
| 9.1.1.6  | Performance Additives                                             | 255        |
| 9.1.1.7  | Viscosity Improvers                                               | 256        |
| 9.1.2    | Characterization and Testing                                      | 256        |
| 9.1.2.1  | Physical and Chemical Testing                                     | 256        |
| 9.1.2.2  | Engine Testing                                                    | 257        |
| 9.1.2.3  | Passenger Car Engine Oils                                         | 257        |
| 9.1.2.4  | Engine Oil for Commercial Vehicles                                | 261        |
| 9.1.3    | Classification by Specification                                   | 262        |
| 9.1.3.1  | MIL Specifications                                                | 262        |
| 9.1.3.2  | API and ILSAC Classification                                      | 262        |
| 9.1.3.3  | CCMC Specifications                                               | 265        |
| 9.1.3.4  | ACEA Specifications                                               | 266        |
| 9.1.3.5  | Manufacturers' Approval of Service Engine Oils                    | 268        |
| 9.1.3.6  | Future Trends                                                     | 272        |
| 9.1.3.7  | Fuel Efficiency                                                   | 274        |

|           |                                                          |            |
|-----------|----------------------------------------------------------|------------|
| 9.1.3.8   | Long Drain Intervals                                     | 276        |
| 9.1.3.9   | Low Emission                                             | 277        |
| 9.2       | Two-Stroke Oils                                          | 278        |
| 9.2.1     | Application and Characteristics of Two-stroke Oils       | 278        |
| 9.2.2     | Classification of Two-stroke Oils                        | 280        |
| 9.2.2.1   | API Service Groups                                       | 280        |
| 9.2.2.2   | JASO Classification                                      | 280        |
| 9.2.2.3   | ISO Classification                                       | 281        |
| 9.2.3     | Oils for Two-Stroke Outboard Engines                     | 282        |
| 9.2.4     | Environmentally Friendly Two-stroke Oils                 | 283        |
| 9.3       | Tractor Oils                                             | 283        |
| 9.4       | Gas Engine Oils                                          | 285        |
| 9.4.1     | Use of Gas Engines: Gas as a Fuel                        | 286        |
| 9.4.2     | Lubricants for Gas Engines                               | 286        |
| 9.5       | Marine Diesel Engine Oils                                | 287        |
| 9.5.1     | Low-speed Crosshead Engines                              | 288        |
| 9.5.2     | Medium-Speed Engines                                     | 288        |
| 9.5.3     | Lubricants                                               | 288        |
|           | References                                               | 290        |
| <b>10</b> | <b>Gear Lubrication Oils</b>                             | <b>293</b> |
|           | <i>Thorsten Bartels</i>                                  |            |
| 10.1      | Requirements of Gear Lubrication Oils                    | 294        |
| 10.2      | Gear Lubrication Oils for Motor Vehicles                 | 297        |
| 10.2.1    | Driveline Lubricants for Commercial Vehicles             | 298        |
| 10.2.2    | Driveline Lubricants for Passenger Cars                  | 302        |
| 10.2.3    | Lubricants for Automatic Transmissions and CVTs          | 306        |
| 10.2.3.1  | Fluid Requirements for Hydrodynamic Transmissions        | 308        |
| 10.2.3.2  | Fluid Requirements for Wet Clutches and Brakes           | 309        |
| 10.2.3.3  | Fluid Requirements for CVT Applications                  | 311        |
| 10.2.3.4  | B-CVT Push Belt and Link Chain Drives                    | 312        |
| 10.2.3.5  | T-CVT Traction Drives                                    | 313        |
| 10.2.3.6  | H-CVT Hydrostatic Dynamic Powershift Drives              | 314        |
| 10.2.4    | Multifunctional Fluids in Vehicle Gears                  | 315        |
| 10.3      | Gear Lubricants for Industrial Gears                     | 316        |
|           | <i>Wolfgang Bock</i>                                     |            |
| 10.3.1    | Introduction                                             | 316        |
| 10.3.2    | Industrial Lubricants: Industrial Gear Oils – Statistics | 319        |
| 10.3.2.1  | Market Shares/Market Situation                           | 319        |
| 10.3.3    | Composition of Industrial Gear Oils                      | 320        |
| 10.3.3.1  | Mineral Oils (CLP-M)                                     | 321        |
| 10.3.3.2  | Synthetic Hydrocarbons: Polyalphaolefins (CLP-PAO)       | 321        |
| 10.3.3.3  | Polyglycols (CLP-PG)                                     | 322        |
| 10.3.3.4  | Synthetic Esters (CLP-E)                                 | 324        |
| 10.3.3.5  | Gear Oil Additives                                       | 324        |

|           |                                                                            |            |
|-----------|----------------------------------------------------------------------------|------------|
| 10.3.4    | Classification of Gear Oils                                                | 326        |
| 10.3.4.1  | Requirements and Specifications                                            | 326        |
| 10.3.4.2  | Requirements for Industrial Gear Oils According to DIN 51517, Part 3       | 326        |
| 10.3.5    | Temperature Ranges and Lifetime of Industrial Gear Oils                    | 328        |
| 10.3.5.1  | Lifetime of Gear Oils: Oxidation Stability (RPVOT Test)                    | 328        |
| 10.3.6    | Cost-Benefit Ratio of Industrial Gear Oils                                 | 330        |
| 10.3.7    | Filtration Behaviour: Electrical Conductivity of Gear and Lubricating Oils | 330        |
| 10.3.8    | Oil and Water: Saturation Values of Dissolved Water in Oil                 | 331        |
| 10.3.9    | Special Industrial Gear oil Formulations                                   | 333        |
| 10.3.9.1  | Special Corrosion Protection Gear Oils                                     | 333        |
| 10.3.9.2  | Detergent/Dispersant Types of Gear Oils                                    | 333        |
| 10.3.9.3  | 'Plastic Deformation' Additive Technology                                  | 333        |
| 10.3.9.4  | 'Reducing Friction' by Special Industrial Gear Oils                        | 333        |
| 10.3.10   | Gear Oils for Wind Turbines: Demands and Characteristics                   | 334        |
| 10.3.10.1 | Demands on Wind Turbine Gear Oils                                          | 334        |
| 10.3.10.2 | Special Tests for Wind Turbine Gear Oils                                   | 338        |
| 10.3.10.3 | SKF Specifications for Wind Turbine Gear Oils                              | 339        |
| 10.3.10.4 | Low-Speed Wear Behaviour of Industrial Gear Oils                           | 339        |
| 10.3.10.5 | Low-Temperature Viscosity of Industrial Gear Oils                          | 339        |
| 10.3.10.6 | Conclusion                                                                 | 342        |
| 10.3.11   | Summary                                                                    | 343        |
|           | References                                                                 | 343        |
| <b>11</b> | <b>Hydraulic Oils</b>                                                      | <b>345</b> |
|           | <i>Wolfgang Bock</i>                                                       |            |
| 11.1      | Introduction                                                               | 345        |
| 11.2      | Hydraulic Principle: Pascal's Law                                          | 346        |
| 11.3      | Hydraulic Systems, Circuits and Components                                 | 347        |
| 11.3.1    | Elements of a Hydraulic System                                             | 347        |
| 11.3.1.1  | Pumps and Motors                                                           | 348        |
| 11.3.1.2  | Hydraulic Cylinders                                                        | 348        |
| 11.3.1.3  | Valves                                                                     | 350        |
| 11.3.1.4  | Circuit Components                                                         | 350        |
| 11.3.1.5  | Seals, Gaskets and Elastomers                                              | 350        |
| 11.4      | Hydraulic Fluids                                                           | 353        |
| 11.4.1    | Composition of Hydraulic Fluids: Base Fluids and Additives                 | 353        |
| 11.4.1.1  | Base Oil or Base Fluid                                                     | 353        |
| 11.4.1.2  | Hydraulic Fluid Additives                                                  | 353        |
| 11.4.2    | Primary, Secondary and Tertiary Characteristics of a Hydraulic Fluid       | 354        |
| 11.4.3    | Selection Criteria for Hydraulic Fluids                                    | 355        |
| 11.4.4    | Classification of Hydraulic Fluids: Standardization of Hydraulic Fluids    | 357        |

|            |                                                                                    |     |
|------------|------------------------------------------------------------------------------------|-----|
| 11.4.4.1   | Classification of Hydraulic Fluids                                                 | 357 |
| 11.4.5     | Mineral-Oil-Based Hydraulic Fluids                                                 | 357 |
| 11.4.5.1   | H Hydraulic Oils                                                                   | 360 |
| 11.4.5.2   | HL Hydraulic Oils                                                                  | 360 |
| 11.4.5.3   | HLP Hydraulic Oils                                                                 | 360 |
| 11.4.5.4   | HVLP Hydraulic Oils                                                                | 360 |
| 11.4.5.5   | HLPD Hydraulic Oils                                                                | 370 |
| 11.4.6     | Fire-Resistant Hydraulic Fluids                                                    | 370 |
| 11.4.6.1   | HFA Fluids                                                                         | 371 |
| 11.4.6.2   | HFB Fluids                                                                         | 371 |
| 11.4.6.3   | HFC Fluids                                                                         | 371 |
| 11.4.6.4   | HFD Fluids                                                                         | 372 |
| 11.4.7     | Biodegradable Hydraulic Fluids                                                     | 372 |
| 11.4.7.1   | HETG: Triglyceride and Vegetable-Oil Types                                         | 373 |
| 11.4.7.2   | HEES: Synthetic Ester Types                                                        | 373 |
| 11.4.7.3   | HEPG: Polyglycol Types                                                             | 375 |
| 11.4.7.4   | HEPR: Polyalphaolefin and Related Hydrocarbon Products                             | 378 |
| 11.4.8     | Hydraulic Fluids for the Food and Beverage Industry                                | 378 |
| 11.4.8.1   | H2 Lubricants                                                                      | 378 |
| 11.4.8.2   | H1 Lubricants                                                                      | 378 |
| 11.4.9     | Automatic Transmission Fluids                                                      | 379 |
| 11.4.10    | Fluids in Tractors and Agricultural Machinery                                      | 379 |
| 11.4.11    | Hydraulic Fluids for Aircraft                                                      | 379 |
| 11.4.12    | International Requirements on Hydraulic Oils                                       | 380 |
| 11.4.13    | Physical Properties of Hydraulic Oils and Their Effect on Performance              | 380 |
| 11.4.13.1  | Viscosity and Viscosity–Temperature Behaviour                                      | 380 |
| 11.4.13.2  | Viscosity–Pressure Behaviour                                                       | 383 |
| 11.4.13.3  | Density                                                                            | 384 |
| 11.4.13.4  | Compressibility                                                                    | 388 |
| 11.4.13.5  | Gas Solubility and Cavitation                                                      | 389 |
| 11.4.13.6  | Air Release                                                                        | 390 |
| 11.4.13.7  | Foaming                                                                            | 391 |
| 11.4.13.8  | Demulsification                                                                    | 391 |
| 11.4.13.9  | Pour Point                                                                         | 392 |
| 11.4.13.10 | Copper Corrosion Behaviour: Copper Strip Test                                      | 392 |
| 11.4.13.11 | Water Content: Karl Fischer Method                                                 | 392 |
| 11.4.13.12 | Ageing Stability: Baader Method                                                    | 393 |
| 11.4.13.13 | Ageing Stability (TOST Test)                                                       | 393 |
| 11.4.13.14 | Neutralization Number                                                              | 393 |
| 11.4.13.15 | Steel/Ferrous Corrosion Protection Properties                                      | 394 |
| 11.4.13.16 | Wear Protection (Shell Four-Ball Apparatus; VKA, DIN 51 350)                       | 394 |
| 11.4.13.17 | Shear Stability of Polymer-Containing Lubricants                                   | 394 |
| 11.4.13.18 | Mechanical Testing of Hydraulic Fluids in Rotary Vane Pumps (DIN EN ISO 20763 [Q]) | 395 |

|            |                                                                  |            |
|------------|------------------------------------------------------------------|------------|
| 11.4.13.19 | Wear Protection (FZG Gear Rig Test; DIN ISO 14635-1 [R])         | 395        |
| 11.5       | Hydraulic System Filters                                         | 395        |
| 11.5.1     | Contaminants in Hydraulic Fluids                                 | 396        |
| 11.5.2     | Oil Cleanliness Grades                                           | 397        |
| 11.5.3     | Filtration                                                       | 398        |
| 11.5.4     | Requirements of Hydraulic Fluids                                 | 400        |
| 11.6       | Machine Tool Lubrication                                         | 400        |
| 11.6.1     | The Role of Machine Tools                                        | 400        |
| 11.6.2     | Machine Tool Lubrication                                         | 401        |
| 11.6.3     | Machine Tool Components: Lubricants                              | 402        |
| 11.6.3.1   | Hydraulic Unit                                                   | 402        |
| 11.6.3.2   | Slideways                                                        | 404        |
| 11.6.3.3   | Spindles: Main and Working Spindles                              | 405        |
| 11.6.3.4   | Gearboxes and Bearings                                           | 406        |
| 11.6.4     | Machine Tool Lubrication Problems                                | 406        |
| 11.6.5     | Hydraulic Fluids: New Trends and New Developments                | 407        |
| 11.6.5.1   | Applications                                                     | 407        |
| 11.6.5.2   | Chemistry                                                        | 407        |
| 11.6.5.3   | Extreme Pressure and Anti-Wear Properties                        | 408        |
| 11.6.5.4   | Detergent/Dispersant Properties                                  | 409        |
| 11.6.5.5   | Air Release                                                      | 409        |
| 11.6.5.6   | Static Coefficient of Friction                                   | 410        |
| 11.6.5.7   | Oxidation Stability                                              | 410        |
| 11.6.5.8   | Shear Stability                                                  | 410        |
| 11.6.5.9   | Filtration of Zn- and Ash-Free Hydraulic Fluids                  | 411        |
| 11.6.5.10  | Electrostatic Charges                                            | 412        |
| 11.6.5.11  | Micro-Scratching                                                 | 413        |
| 11.6.5.12  | Updated Standards                                                | 413        |
| 11.6.5.13  | Conclusion                                                       | 416        |
| 11.7       | Summary                                                          | 416        |
|            | References                                                       | 416        |
|            | Further Reading                                                  | 419        |
|            | Books                                                            | 419        |
|            | Standards                                                        | 419        |
| <b>12</b>  | <b>Compressor Oils</b>                                           | <b>421</b> |
|            | <i>Wolfgang Bock and Christian Puhl</i>                          |            |
| 12.1       | Air Compressor Oils                                              | 421        |
| 12.1.1     | Displacement Compressors                                         | 423        |
| 12.1.1.1   | Reciprocating Piston Compressors                                 | 423        |
| 12.1.1.2   | Lubrication of Reciprocating Piston Compressors                  | 423        |
| 12.1.1.3   | Rotary Piston Compressors: Single Shaft, Rotary Vane Compressors | 424        |
| 12.1.1.4   | Lubrication of Rotary Piston Compressors                         | 424        |
| 12.1.1.5   | Screw Compressors                                                | 424        |

|           |                                                                                                                    |            |
|-----------|--------------------------------------------------------------------------------------------------------------------|------------|
| 12.1.1.6  | Lubrication of Screw Compressors                                                                                   | 425        |
| 12.1.1.7  | Roots Compressors                                                                                                  | 426        |
| 12.1.1.8  | Lubrication of Roots Compressors                                                                                   | 426        |
| 12.1.2    | Dynamic Compressors                                                                                                | 426        |
| 12.1.2.1  | Turbo Compressors                                                                                                  | 426        |
| 12.1.2.2  | Lubrication of Turbo Compressors                                                                                   | 427        |
| 12.1.2.3  | Preparation of Compressed Air                                                                                      | 427        |
| 12.1.2.4  | Lubrication of Gas Compressors                                                                                     | 427        |
| 12.1.2.5  | Characteristics of Compressor Oils                                                                                 | 428        |
| 12.1.2.6  | Standards and Specifications of Compressor Oils                                                                    | 429        |
| 12.2      | Refrigeration Oils                                                                                                 | 436        |
| 12.2.1    | Introduction                                                                                                       | 436        |
| 12.2.2    | Minimum Requirements of Refrigeration Oils                                                                         | 436        |
| 12.2.3    | Classifications of Refrigeration Oils                                                                              | 438        |
| 12.2.3.1  | Mineral Oils (MO) – Dewaxed Naphthenic Refrigeration Oils                                                          | 438        |
| 12.2.3.2  | Mineral Oils (MO) – Paraffinic Refrigeration Oils                                                                  | 439        |
| 12.2.3.3  | Semi-synthetic Refrigeration Oils: Mixtures of Alkylbenzenes (AB) and Mineral Oils (MO)                            | 440        |
| 12.2.3.4  | Fully Synthetic Refrigeration Oils: Alkylbenzenes                                                                  | 440        |
| 12.2.3.5  | Fully Synthetic Refrigeration Oils: Polyalphaolefins (PAO)                                                         | 440        |
| 12.2.3.6  | Fully Synthetic Refrigeration Oils: Polyol Esters (POE)                                                            | 441        |
| 12.2.3.7  | Fully Synthetic Refrigeration Oils: Polyalkylene Glycols (PAG) for R134a and HFO-1234 yf                           | 442        |
| 12.2.3.8  | Fully Synthetic Refrigeration Oils – Polyalkylene glycols for NH <sub>3</sub>                                      | 442        |
| 12.2.3.9  | Other Synthetic Fluids                                                                                             | 443        |
| 12.2.3.10 | Refrigeration Oils for CO <sub>2</sub>                                                                             | 443        |
| 12.2.3.11 | New Refrigeration Oils for HFO Refrigerants                                                                        | 443        |
| 12.2.3.12 | Copper Plating                                                                                                     | 444        |
| 12.2.4    | Types of Compressor                                                                                                | 444        |
| 12.2.5    | Viscosity Selection                                                                                                | 445        |
| 12.2.5.1  | General Overview                                                                                                   | 445        |
| 12.2.5.2  | Mixture Concentration in Relation to Temperature and Pressure (RENISO Triton SE 55 – R134a)                        | 447        |
| 12.2.5.3  | Mixture Viscosity in Relation to Temperature, Pressure and Refrigerant Concentration (RENISO Triton SE 55 – R134a) | 447        |
| 12.2.6    | Summary                                                                                                            | 450        |
|           | References                                                                                                         | 450        |
| <b>13</b> | <b>Turbine Oils</b>                                                                                                | <b>453</b> |
|           | <i>Wolfgang Bock</i>                                                                                               |            |
| 13.1      | Introduction                                                                                                       | 453        |
| 13.2      | Demands on Turbine Oils – Characteristics                                                                          | 454        |
| 13.3      | Formulation of Turbine Oils                                                                                        | 454        |
| 13.4      | Physical and Chemical Data of Turbine Oils                                                                         | 455        |

|         |                                                                                                                       |     |
|---------|-----------------------------------------------------------------------------------------------------------------------|-----|
| 13.4.1  | Colour According to DIN ISO 2049                                                                                      | 455 |
| 13.4.2  | Density According to DIN 51757                                                                                        | 455 |
| 13.4.3  | Kinematic Viscosity According to DIN EN ISO 3104                                                                      | 456 |
| 13.4.4  | Flashpoint According to DIN ISO 2592                                                                                  | 457 |
| 13.4.5  | Pourpoint According to DIN ISO 3016                                                                                   | 458 |
| 13.4.6  | Foaming According to ASTM D 892                                                                                       | 458 |
| 13.4.7  | Neutralization Number According to DIN 51558                                                                          | 459 |
| 13.4.8  | FZG Mechanical Gear Test Rig According to DIN ISO 14635-1                                                             | 460 |
| 13.4.9  | Air Release at 50 °C According to DIN ISO 9120                                                                        | 462 |
| 13.4.10 | Water Content According to DIN 51777                                                                                  | 462 |
| 13.4.11 | Water Separation According to DIN 51589                                                                               | 463 |
| 13.4.12 | Demulsifying Power at 54°C According to DIN ISO 6614                                                                  | 464 |
| 13.4.13 | Steel/Ferrous Corrosion Protection Properties According to<br>DIN ISO 7120                                            | 464 |
| 13.4.14 | Copper Corrosion Protection Properties According to<br>DIN EN ISO 2160                                                | 465 |
| 13.4.15 | RPVOT 150 °C According to ASTM D2272                                                                                  | 465 |
| 13.4.16 | TOST Lifetime According to DIN EN ISO 4263-1                                                                          | 466 |
| 13.4.17 | Thermal Stability                                                                                                     | 467 |
| 13.4.18 | Thermal Conductivity                                                                                                  | 468 |
| 13.4.19 | Specific Heat                                                                                                         | 468 |
| 13.4.20 | Vapour Pressure                                                                                                       | 469 |
| 13.4.21 | Surface Tension                                                                                                       | 470 |
| 13.4.22 | Remaining Useful Life Evaluation Routine (RULER Method)                                                               | 470 |
| 13.4.23 | Membrane Patch Colorimetry (MPC) Test                                                                                 | 472 |
| 13.5    | Turbine Lubricants: Description According to DIN 51515,<br>Parts 1 and 2                                              | 473 |
| 13.6    | Turbine Lubricants: Specifications                                                                                    | 474 |
| 13.6.1  | Lubricants for Turbines: ISO 8068 Specifications                                                                      | 477 |
| 13.7    | Turbine Oil Circuits                                                                                                  | 479 |
| 13.8    | Flushing Turbine Oil Circuits                                                                                         | 480 |
| 13.9    | Monitoring and Maintenance of Turbine Oils – General                                                                  | 481 |
| 13.10   | Turbine Oils: Evaluation of Used Oil Values – Parameters and<br>Warning Values/Limits According to VGB Recommendation | 481 |
| 13.11   | Turbine Oils: Evaluation of Used Oil Values – Causes and<br>Measures                                                  | 482 |
| 13.11.1 | Turbine Oils: Used Oil Values                                                                                         | 483 |
| 13.11.2 | Turbine Oils: Used Oil Values – Causes and Measures                                                                   | 484 |
| 13.11.3 | Turbine Oils: Used Oil Values – Causes and Measures                                                                   | 485 |
| 13.12   | Lifetime of (Steam) Turbine Oils                                                                                      | 485 |
| 13.13   | Gas Turbine Oils: Application and Requirements                                                                        | 486 |
| 13.14   | Fire-Resistant, Water-Free Fluids for Power Station<br>Applications                                                   | 487 |
| 13.15   | Lubricants for Water Turbines and Hydroelectric Plants<br>References                                                  | 488 |

## Volume 2

|           |                                                                                           |
|-----------|-------------------------------------------------------------------------------------------|
| <b>14</b> | <b>Metalworking Fluids 491</b>                                                            |
|           | <i>Theo Mang, Carmen Freiler, and Dietrich Hörner</i>                                     |
| 14.1      | Action Mechanism and Cutting Fluid Selection 492                                          |
| 14.1.1    | Lubrication 493                                                                           |
| 14.1.2    | Cooling 494                                                                               |
| 14.1.3    | Significance of Cutting Fluid with Various Cutting Materials 496                          |
| 14.1.3.1  | High-Speed Steels 497                                                                     |
| 14.1.3.2  | Cemented Carbide Metals 497                                                               |
| 14.1.3.3  | Coated Carbide Metals 497                                                                 |
| 14.1.3.4  | Ceramic Materials 498                                                                     |
| 14.1.3.5  | Cubic Boron Nitride (CBN) 498                                                             |
| 14.1.3.6  | Polycrystalline Diamond (PCD) 498                                                         |
| 14.1.3.7  | Coatings 498                                                                              |
| 14.1.4    | Cutting Fluid Selection for Various Cutting Methods and Cutting Conditions 499            |
| 14.2      | Friction and Wear Assessment Method for the Use of Cutting Fluids 501                     |
| 14.2.1    | Tool Life and Number of Parts Produced by the Tool as Practical Assessment Parameters 502 |
| 14.2.2    | Measuring Cutting Forces in Screening Tests 502                                           |
| 14.2.3    | Feed Rates at Constant Feed Force 503                                                     |
| 14.2.4    | Measuring Tool Life by Fast-Screening Methods 503                                         |
| 14.2.5    | Cutting Geometry and Chip Flow 504                                                        |
| 14.2.6    | Other Fast Testing Methods 504                                                            |
| 14.2.6.1  | Temperature Measurement 504                                                               |
| 14.2.6.2  | Radioactive Tools 504                                                                     |
| 14.2.6.3  | Surface Finish 505                                                                        |
| 14.3      | Water-Miscible Cutting Fluids 505                                                         |
| 14.3.1    | Nomenclature and Breakdown 506                                                            |
| 14.3.2    | Composition 507                                                                           |
| 14.3.2.1  | Emulsifiers 508                                                                           |
| 14.3.2.2  | Viscosity of Emulsions 514                                                                |
| 14.3.2.3  | Phase Reversal, Determination of the Type of Emulsion 514                                 |
| 14.3.2.4  | Degree of Dispersion 516                                                                  |
| 14.3.2.5  | Stability 517                                                                             |
| 14.3.2.6  | Corrosion Inhibitors and Other Additives 519                                              |
| 14.3.2.7  | Cutting Fluids Containing Emulsifiers 521                                                 |
| 14.3.2.8  | Coolants Containing Polyglycols 523                                                       |
| 14.3.2.9  | Salt Solutions 523                                                                        |
| 14.3.3    | Corrosion Protection and Corrosion Test Methods 523                                       |
| 14.3.4    | Concentration of Water-Mixed Cutting Fluids 524                                           |
| 14.3.4.1  | Determination of Concentration by DIN 51 368 (IP 137) 525                                 |
| 14.3.4.2  | Concentration Measurement Using Hand-Held Refractometers 526                              |

|          |                                                                                   |     |
|----------|-----------------------------------------------------------------------------------|-----|
| 14.3.4.3 | Concentration Measurement Through Individual Components                           | 526 |
| 14.3.4.4 | Determination of Concentration by Titration of Anionic Components                 | 526 |
| 14.3.4.5 | Determination of Concentration Through Alkali Reserve                             | 527 |
| 14.3.4.6 | Concentration After Centrifuging                                                  | 527 |
| 14.3.5   | Stability of Coolants                                                             | 527 |
| 14.3.5.1 | Determination of Physical Emulsion Stability                                      | 527 |
| 14.3.5.2 | Electrolyte Stability                                                             | 528 |
| 14.3.5.3 | Thermal Stability                                                                 | 529 |
| 14.3.5.4 | Stability to Metal Chips                                                          | 530 |
| 14.3.6   | Foaming Properties                                                                | 531 |
| 14.3.6.1 | Definition and Origin of Foam                                                     | 531 |
| 14.3.6.2 | Foam Prevention                                                                   | 531 |
| 14.3.6.3 | Methods of Determining Foam Behaviour                                             | 533 |
| 14.3.7   | Metalworking Fluid Microbiology                                                   | 534 |
| 14.3.7.1 | Hygienic and Toxicological Aspects of Microorganisms                              | 535 |
| 14.3.7.2 | Methods of Determining Microbial Count                                            | 536 |
| 14.3.7.3 | Determination of the Resistance of Water-Miscible Coolants Towards Microorganisms | 537 |
| 14.3.7.4 | Reducing or Avoiding Microbial Growth in Coolants                                 | 537 |
| 14.3.8   | Preservation of Coolants with Biocides                                            | 539 |
| 14.3.8.1 | Aldehydes                                                                         | 541 |
| 14.3.8.2 | Formaldehyde Release Compounds                                                    | 541 |
| 14.3.8.3 | Phenol Derivatives                                                                | 543 |
| 14.3.8.4 | Compounds Derived from Carbon Disulfide                                           | 543 |
| 14.3.8.5 | Isothiazoles                                                                      | 544 |
| 14.3.8.6 | Fungicides                                                                        | 544 |
| 14.3.8.7 | Hypochlorites                                                                     | 544 |
| 14.3.8.8 | Hydrogen Peroxide, H <sub>2</sub> O <sub>2</sub>                                  | 544 |
| 14.3.8.9 | Quaternary Ammonium Compounds                                                     | 544 |
| 14.4     | Neat Cutting Fluids                                                               | 545 |
| 14.4.1   | Classification of Neat Metalworking Oils According to Specifications              | 545 |
| 14.4.2   | Composition of Neat Metalworking Fluids                                           | 545 |
| 14.4.2.1 | Base Oils and Additives                                                           | 545 |
| 14.4.2.2 | Significance of Viscosity on the Selection of Neat Products                       | 546 |
| 14.4.3   | Oil Mist and Oil Evaporation Behaviour                                            | 547 |
| 14.4.3.1 | Evaporation Behaviour                                                             | 548 |
| 14.4.3.2 | Low-Misting Oils                                                                  | 548 |
| 14.4.3.3 | The Creation of Oil Mist                                                          | 548 |
| 14.4.3.4 | Sedimentation and Separation of Oil Mists                                         | 549 |
| 14.4.3.5 | Toxicity of Oil Mist                                                              | 550 |
| 14.4.3.6 | Oil Mist Measurement                                                              | 552 |
| 14.4.3.7 | Oil Mist Index                                                                    | 553 |
| 14.4.3.8 | Oil Mist Concentration in Practice                                                | 553 |
| 14.5     | Machining with Geometrically Defined Cutting Edges                                | 554 |

|          |                                                         |     |
|----------|---------------------------------------------------------|-----|
| 14.5.1   | Turning                                                 | 554 |
| 14.5.2   | Drilling                                                | 557 |
| 14.5.3   | Milling                                                 | 557 |
| 14.5.4   | Gear Cutting                                            | 558 |
| 14.5.5   | Deep Hole Drilling                                      | 559 |
| 14.5.5.1 | Deep Hole Drilling Methods                              | 560 |
| 14.5.5.2 | Tasks to be Fulfilled by the Cutting Fluid              | 561 |
| 14.5.6   | Threading and Tapping                                   | 562 |
| 14.5.7   | Broaching                                               | 563 |
| 14.6     | Machining with Geometric Non-Defined Cutting Edges      | 564 |
| 14.6.1   | Grinding                                                | 564 |
| 14.6.1.1 | High-Speed Grinding                                     | 565 |
| 14.6.1.2 | Grinding Wheel Abrasive Materials and Bondings          | 565 |
| 14.6.1.3 | Requirements for Grinding Fluids                        | 566 |
| 14.6.1.4 | Special Workpiece Material Considerations               | 567 |
| 14.6.1.5 | CBN High-Speed Grinding                                 | 567 |
| 14.6.1.6 | Honing                                                  | 568 |
| 14.6.1.7 | Honing Oils                                             | 570 |
| 14.6.1.8 | Lapping                                                 | 571 |
| 14.6.1.9 | Lapping Powder and Carrier Media                        | 571 |
| 14.7     | Specific Material Requirements for Machining Operations | 572 |
| 14.7.1   | Ferrous Metals                                          | 572 |
| 14.7.1.1 | Steel                                                   | 572 |
| 14.7.1.2 | Tool Steels                                             | 572 |
| 14.7.1.3 | High-Speed Steels (HSS)                                 | 572 |
| 14.7.1.4 | Stainless Steels                                        | 573 |
| 14.7.1.5 | Cast Iron                                               | 573 |
| 14.7.2   | Aluminium                                               | 573 |
| 14.7.2.1 | Influence of the Type of Aluminium Alloy                | 573 |
| 14.7.2.2 | The Behaviour of Aluminium During Machining             | 575 |
| 14.7.2.3 | Tool Materials                                          | 577 |
| 14.7.3   | Magnesium and its Alloys                                | 577 |
| 14.7.4   | Cobalt                                                  | 579 |
| 14.7.4.1 | The Health and Safety Aspects of Carbides               | 579 |
| 14.7.4.2 | Use of Cutting Oils in Carbide Machining Processes      | 580 |
| 14.7.5   | Titanium                                                | 580 |
| 14.7.6   | Nickel and Nickel Alloys                                | 581 |
| 14.8     | Metalworking Fluid Circulation System                   | 581 |
| 14.8.1   | Metalworking Fluid Supply                               | 582 |
| 14.8.1.1 | Grinding                                                | 584 |
| 14.8.2   | Individually-Filled Machines and Central Systems        | 585 |
| 14.8.3   | Tramp Oil in Coolants                                   | 585 |
| 14.8.4   | Separation of Solid Particles                           | 587 |
| 14.8.4.1 | Swarf Concentration and Filter Fineness                 | 587 |
| 14.8.4.2 | Full, Partial or Main Flow Solids Separation            | 588 |

|           |                                                                                     |     |
|-----------|-------------------------------------------------------------------------------------|-----|
| 14.8.4.3  | Filtration Processes                                                                | 588 |
| 14.8.4.4  | Solids Separation Equipment                                                         | 591 |
| 14.8.5    | Plastics and Sealing Materials in Machine Tools – Compatibility with Cutting Fluids | 598 |
| 14.8.6    | Monitoring and Maintenance of Neat and Water-Miscible Cutting Fluids                | 599 |
| 14.8.6.1  | Storage of Cutting Fluids                                                           | 599 |
| 14.8.6.2  | Mixing Water-Miscible Cutting Fluids                                                | 599 |
| 14.8.6.3  | Monitoring Cutting Fluids                                                           | 600 |
| 14.8.6.4  | Cutting Fluid Maintenance                                                           | 601 |
| 14.8.6.5  | Corrective Maintenance for Neat and Water-miscible Cutting Fluids                   | 603 |
| 14.8.7    | Splitting and Disposal                                                              | 605 |
| 14.8.7.1  | Disposal of Cutting Fluids                                                          | 605 |
| 14.8.7.2  | Evaluation Criteria for Cutting Fluid Water Phases                                  | 606 |
| 14.8.7.3  | Electrolyte Separation                                                              | 607 |
| 14.8.7.4  | Emulsion Separation by Flotation                                                    | 609 |
| 14.8.7.5  | Splitting of Emulsions with Adsorbents                                              | 609 |
| 14.8.7.6  | Separating Water-Miscible Cutting Fluids by Thermal Methods                         | 610 |
| 14.8.7.7  | Ultrafiltration                                                                     | 610 |
| 14.8.7.8  | Evaluation of Disposal Methods                                                      | 612 |
| 14.9      | Coolant Costs                                                                       | 613 |
| 14.9.1    | Coolant Application Costs                                                           | 613 |
| 14.9.1.1  | Investment Costs (Depreciation, Financing Costs, Maintenance Costs)                 | 613 |
| 14.9.1.2  | Energy Costs                                                                        | 613 |
| 14.9.1.3  | Coolant and Coolant Additives                                                       | 614 |
| 14.9.1.4  | Coolant Monitoring                                                                  | 614 |
| 14.9.1.5  | Other Auxiliaries                                                                   | 614 |
| 14.9.1.6  | Coolant Separation and Disposal                                                     | 614 |
| 14.9.2    | Coolant Application Costs with Constant System                                      | 614 |
| 14.9.2.1  | Specific Coolant Costs                                                              | 614 |
| 14.9.2.2  | Optimization of Coolant use by Computer                                             | 618 |
| 14.10     | New Trends in Coolant Technology                                                    | 619 |
| 14.10.1   | Oil Instead of Emulsion                                                             | 619 |
| 14.10.1.1 | Fluid Families and Multifunctional Fluids for Machine Tools                         | 621 |
| 14.10.1.2 | Washing Lines                                                                       | 622 |
| 14.10.1.3 | De-Oiling of Chips and Machined Components                                          | 622 |
| 14.10.1.4 | Future Perspectives–Unifluid                                                        | 622 |
| 14.10.2   | Minimum Quantity Lubrication                                                        | 623 |
| 14.10.2.1 | Considerations When Dispensing with Coolants                                        | 623 |
| 14.10.2.2 | Minimum Quantity Lubrication Systems                                                | 625 |
| 14.10.2.3 | Coolants for Minimum Quantity Lubrication                                           | 626 |
| 14.10.2.4 | Oil Mist Tests with Minimum Quantity Lubrication                                    | 628 |

|           |                                                                                                                     |     |
|-----------|---------------------------------------------------------------------------------------------------------------------|-----|
| 14.10.2.5 | Product Optimization of a Minimum Quantity Coolant Medium for Drilling                                              | 630 |
|           | References                                                                                                          | 631 |
| <b>15</b> | <b>Forming Lubricants</b>                                                                                           | 639 |
|           | <i>Theo Mang</i>                                                                                                    |     |
| 15.1      | Sheet Metal Working Lubricants                                                                                      | 639 |
|           | <i>Theo Mang, Achim Losch, and Franz Kubicki</i>                                                                    |     |
| 15.1.1    | Processes                                                                                                           | 640 |
| 15.1.2    | Basic Terms in Forming Processes                                                                                    | 640 |
| 15.1.2.1  | Lattice Structure of Metals                                                                                         | 640 |
| 15.1.2.2  | Yield Strength                                                                                                      | 641 |
| 15.1.2.3  | Strain                                                                                                              | 641 |
| 15.1.2.4  | Flow Curve                                                                                                          | 641 |
| 15.1.2.5  | Efficiency of Deformation, Resistance to Forming, Surface Pressure                                                  | 643 |
| 15.1.2.6  | Strain Rate                                                                                                         | 643 |
| 15.1.2.7  | Anisotropy, Texture: R Value                                                                                        | 644 |
| 15.1.3    | Deep Drawing                                                                                                        | 644 |
| 15.1.3.1  | Friction and Lubrication in the Different Areas of a Deep Drawing Operation                                         | 645 |
| 15.1.3.2  | Significance of Lubrication Dependent upon Sheet Metal Thickness, Drawn-Part Size and the Efficiency of Deformation | 648 |
| 15.1.3.3  | Assessment of the Suitability of Lubricants for Deep Drawing                                                        | 650 |
| 15.1.4    | Stretch Drawing and a Combination of Stretch and Deep Drawing                                                       | 652 |
| 15.1.5    | Shear Cutting                                                                                                       | 652 |
| 15.1.5.1  | Stamping                                                                                                            | 654 |
| 15.1.5.2  | Fineblanking                                                                                                        | 657 |
| 15.1.6    | Material and Surface Microstructure                                                                                 | 659 |
| 15.1.6.1  | Material                                                                                                            | 659 |
| 15.1.7    | Tools Used in Sheet Metal Forming Operations                                                                        | 661 |
| 15.1.8    | Lubricants for Sheet Metal Forming                                                                                  | 663 |
| 15.1.8.1  | Application and Types of Lubricants                                                                                 | 664 |
| 15.1.8.2  | Lubricant Behaviour During Forming                                                                                  | 668 |
| 15.1.8.3  | Post-Processes                                                                                                      | 670 |
| 15.1.8.4  | Trends in Sheet Metal Forming Lubrication                                                                           | 671 |
| 15.1.9    | Special Case: Automobile Manufacturing                                                                              | 672 |
| 15.1.9.1  | Prelubes                                                                                                            | 672 |
| 15.1.9.2  | Skin Passing                                                                                                        | 673 |
| 15.1.9.3  | Coil Oiling                                                                                                         | 673 |
| 15.1.9.4  | Transport and Storage of Steel Coils or Blanks                                                                      | 674 |
| 15.1.9.5  | Washing of Steel Strips and Blanks                                                                                  | 674 |
| 15.1.9.6  | Additional Lubrication                                                                                              | 674 |

|           |                                                                 |     |
|-----------|-----------------------------------------------------------------|-----|
| 15.1.9.7  | Pressing                                                        | 675 |
| 15.1.9.8  | Transport and Storage of Pressed Parts                          | 675 |
| 15.1.9.9  | Welding and Adhesive Bonding                                    | 676 |
| 15.1.9.10 | Cleaning and Phosphating                                        | 677 |
| 15.1.9.11 | Cataphoretic Painting                                           | 677 |
| 15.1.9.12 | Savings Potential Using Prelubes                                | 678 |
| 15.1.9.13 | Dry-Film Lubricants                                             | 678 |
| 15.1.10   | Special Case: Water-Based Synthetics                            | 679 |
| 15.1.10.1 | Introduction and Historical Background                          | 679 |
| 15.1.10.2 | Synthetic Lubricants Today                                      | 681 |
| 15.1.11   | Testing Tribological Characteristics                            | 682 |
| 15.1.11.1 | General Considerations                                          | 682 |
| 15.1.11.2 | Strip Drawing                                                   | 683 |
| 15.1.11.3 | Cup Drawing                                                     | 685 |
| 15.1.12   | Corrosion Protection                                            | 690 |
| 15.1.12.1 | Corrosion Mechanisms                                            | 690 |
| 15.1.12.2 | Temporary Corrosion Protection                                  | 691 |
| 15.1.12.3 | Corrosion Tests                                                 | 693 |
| 15.2      | Lubricants for Wire, Tube and Profile Drawing                   | 693 |
|           | <i>Theo Mang</i>                                                |     |
| 15.2.1    | Friction and Lubrication, Tools and Machines                    | 693 |
| 15.2.1.1  | Forming Classification                                          | 693 |
| 15.2.1.2  | Friction and Lubrication, Machines and Tools When Wire Drawing  | 694 |
| 15.2.1.3  | Drawing Force and Tension                                       | 695 |
| 15.2.1.4  | Drawing Tool and Wear                                           | 697 |
| 15.2.1.5  | Wire Cracks                                                     | 699 |
| 15.2.1.6  | Hydrodynamic Drawing                                            | 699 |
| 15.2.1.7  | Wire Friction on Cone                                           | 700 |
| 15.2.1.8  | Lubricant Feed in Wet Drawing                                   | 703 |
| 15.2.1.9  | Dry Drawing                                                     | 703 |
| 15.2.1.10 | Applying Lubricant as Pastes or High-Viscosity Products         | 704 |
| 15.2.2    | Drawing Copper Wire                                             | 705 |
| 15.2.2.1  | Lubricants                                                      | 706 |
| 15.2.2.2  | Lubricant Concentration                                         | 707 |
| 15.2.2.3  | Solubility of Copper Reaction Products                          | 708 |
| 15.2.2.4  | Water Quality and Electrolyte Stability                         | 708 |
| 15.2.2.5  | Laboratory Testing Methods                                      | 708 |
| 15.2.2.6  | Lubricant Temperature                                           | 709 |
| 15.2.2.7  | Influence of the Lubricant on Wire Enamelling                   | 709 |
| 15.2.2.8  | Circulation Systems, Cleaning and Disposal of Drawing Emulsions | 710 |
| 15.2.3    | Drawing of Steel Wire                                           | 710 |
| 15.2.3.1  | Requirements                                                    | 710 |
| 15.2.3.2  | Lubricant Carrier Layers                                        | 711 |

|          |                                                                      |     |
|----------|----------------------------------------------------------------------|-----|
| 15.2.3.3 | Lime as a Lubricant Carrier                                          | 712 |
| 15.2.3.4 | Borax as Lubricant Carrier                                           | 712 |
| 15.2.3.5 | Phosphate as Lubricant Carrier                                       | 712 |
| 15.2.3.6 | Oxalate Coatings and Silicates                                       | 712 |
| 15.2.3.7 | Lubricants for Steel Wire Drawing                                    | 713 |
| 15.2.4   | Drawing Aluminium Wire                                               | 714 |
| 15.2.4.1 | Drawing Machines and Lubrication                                     | 715 |
| 15.2.4.2 | Lubricants for Aluminium Wire Drawing                                | 715 |
| 15.2.5   | Wire from Other Materials                                            | 716 |
| 15.2.5.1 | Stainless Steel                                                      | 716 |
| 15.2.5.2 | Nickel                                                               | 716 |
| 15.2.5.3 | Tungsten                                                             | 716 |
| 15.2.6   | Profile Drawing                                                      | 716 |
| 15.2.6.1 | Lubricating Tasks in Profile Drawing                                 | 717 |
| 15.2.6.2 | Pretreatment and the Use of Lubricant When Profile Drawing Steel     | 718 |
| 15.2.7   | Tube Drawing                                                         | 718 |
| 15.2.7.1 | Tube-Drawing Methods                                                 | 718 |
| 15.2.7.2 | Tools and Tool Coatings                                              | 720 |
| 15.2.7.3 | Lubricants and Surface Pretreatment for Tube Drawing                 | 721 |
| 15.2.8   | Hydroforming                                                         | 723 |
| 15.2.8.1 | Process Principle                                                    | 725 |
| 15.2.8.2 | Process Configuration                                                | 725 |
| 15.2.8.3 | Tribological Aspects of Hydroforming                                 | 727 |
| 15.2.8.4 | Lubricants for Hydroforming                                          | 727 |
| 15.3     | Lubricants for Rolling                                               | 728 |
|          | <i>Theo Mang</i>                                                     |     |
| 15.3.1   | General                                                              | 728 |
| 15.3.1.1 | Rolling Speed                                                        | 729 |
| 15.3.1.2 | Rationalization                                                      | 730 |
| 15.3.1.3 | Surface and Material Quality                                         | 730 |
| 15.3.1.4 | Hygienic Commercial Requirements                                     | 730 |
| 15.3.2   | Friction and Lubrication When Rolling                                | 730 |
| 15.3.3   | Rolling Steel Sheet                                                  | 735 |
| 15.3.3.1 | Hot Rolling                                                          | 735 |
| 15.3.3.2 | Sheet Cold Rolling                                                   | 736 |
| 15.3.3.3 | Finest Sheet Cold Rolling                                            | 740 |
| 15.3.3.4 | Cold Rolling of High Alloy Steel Sheet                               | 741 |
| 15.3.4   | Rolling Aluminium Sheet                                              | 742 |
| 15.3.5   | Aluminium Hot Rolling                                                | 744 |
| 15.3.6   | Aluminium Cold Rolling                                               | 745 |
| 15.3.7   | Rolling Other Materials                                              | 746 |
| 15.4     | Solid Metal Forming Lubricants: Solid Forming, Forging and Extrusion | 747 |
|          | <i>Theo Mang, Wolfgang Buss</i>                                      |     |

|           |                                                                    |            |
|-----------|--------------------------------------------------------------------|------------|
| 15.4.1    | Processes                                                          | 747        |
| 15.4.1.1  | Upsetting                                                          | 747        |
| 15.4.1.2  | Extrusion                                                          | 747        |
| 15.4.1.3  | Impression Die Forging                                             | 748        |
| 15.4.1.4  | Open Die Forging                                                   | 748        |
| 15.4.2    | Forming Temperatures                                               | 748        |
| 15.4.2.1  | Cold                                                               | 749        |
| 15.4.2.2  | Warm                                                               | 749        |
| 15.4.2.3  | Hot                                                                | 749        |
| 15.4.3    | Friction and Lubrication with Cold Extrusion and Cold Forging      | 749        |
| 15.4.3.1  | Friction and Lubricant Testing Methods                             | 750        |
| 15.4.3.2  | Selection Criteria for Lubricants and Lubrication Technology       | 752        |
| 15.4.3.3  | Lubricating Oils for Cold Extrusion of Steel: Extrusion Oils       | 753        |
| 15.4.3.4  | Phosphate Coatings and Soap Lubricants for Cold Extrusion of Steel | 755        |
| 15.4.3.5  | Solid Lubricants for Cold Extrusion of Steel                       | 758        |
| 15.4.4    | Warm Extrusion and Forging                                         | 760        |
| 15.4.4.1  | Temperature Range Up to 350 °C                                     | 762        |
| 15.4.4.2  | Temperature Range 350–500 °C                                       | 763        |
| 15.4.4.3  | Temperature Range 500–600 °C                                       | 763        |
| 15.4.4.4  | Temperature Range >600 °C                                          | 763        |
| 15.4.5    | Lubrication When Hot Forging                                       | 763        |
| 15.4.5.1  | Demands on Hot Forging Lubricants                                  | 764        |
| 15.4.5.2  | Lubricant Testing Methods                                          | 766        |
| 15.4.6    | Hot Forging of Steel                                               | 766        |
| 15.4.6.1  | Lubricants                                                         | 767        |
| 15.4.7    | Aluminium Forging                                                  | 769        |
| 15.4.8    | Isothermal and Hot Die Forging                                     | 769        |
| 15.4.9    | Application and Selection of Lubricant                             | 770        |
|           | References                                                         | 773        |
| <b>16</b> | <b>Lubricating Greases</b>                                         | <b>781</b> |
|           | <i>Wilfried Dresel and Rolf-Peter Heckler</i>                      |            |
| 16.1      | Introduction                                                       | 781        |
| 16.1.1    | Definition                                                         | 781        |
| 16.1.2    | History                                                            | 782        |
| 16.1.3    | Advantages over Lubricating Oils                                   | 782        |
| 16.1.4    | Disadvantages                                                      | 783        |
| 16.1.5    | Classification                                                     | 783        |
| 16.2      | Thickeners                                                         | 784        |
| 16.2.1    | Simple Soaps                                                       | 785        |
| 16.2.1.1  | Soap Anions                                                        | 785        |
| 16.2.1.2  | Soap Cations                                                       | 785        |
| 16.2.1.3  | Lithium Soaps                                                      | 785        |
| 16.2.1.4  | Calcium Soaps                                                      | 786        |

|          |                                                    |     |
|----------|----------------------------------------------------|-----|
| 16.2.1.5 | Sodium Soaps                                       | 787 |
| 16.2.1.6 | Other Soaps                                        | 787 |
| 16.2.1.7 | Cation Mixed Soaps $M_1X/M_2X$                     | 788 |
| 16.2.1.8 | Anion Mixed Soaps $MX_1/MX_2$                      | 789 |
| 16.2.2   | Complex Soaps                                      | 789 |
| 16.2.2.1 | Lithium Complex Soaps                              | 789 |
| 16.2.2.2 | Calcium Complex Soaps                              | 791 |
| 16.2.2.3 | Calcium Sulfonate Complex Soaps                    | 792 |
| 16.2.2.4 | Aluminium Complex Soaps                            | 792 |
| 16.2.2.5 | Other Complex Soaps                                | 793 |
| 16.2.3   | Other Ionic Organic Thickeners                     | 793 |
| 16.2.4   | Non-Ionic Organic Thickeners                       | 793 |
| 16.2.4.1 | Diureas and Tetraureas                             | 794 |
| 16.2.4.2 | Other Non-Ionic Organic Thickeners                 | 795 |
| 16.2.5   | Inorganic Thickeners                               | 795 |
| 16.2.5.1 | Clays                                              | 795 |
| 16.2.5.2 | Highly Dispersed Silicic Acid                      | 796 |
| 16.2.6   | Miscellaneous Thickeners                           | 796 |
| 16.2.7   | Temporarily Thickened Fluids                       | 796 |
| 16.3     | Base Oils                                          | 797 |
| 16.3.1   | Mineral Oils                                       | 798 |
| 16.3.2   | Synthetic Base Oils                                | 798 |
| 16.3.2.1 | Synthetic Hydrocarbons                             | 798 |
| 16.3.2.2 | Other Synthetic Base Oils                          | 799 |
| 16.3.2.3 | Immiscible Base Oil Mixtures                       | 799 |
| 16.4     | Grease Structure                                   | 799 |
| 16.5     | Additives                                          | 800 |
| 16.5.1   | Structure Modifiers                                | 801 |
| 16.5.2   | Antirust Additives (Corrosion Inhibitors)          | 801 |
| 16.5.3   | Extreme-Pressure and Anti-Wear Additives           | 801 |
| 16.5.4   | Solid Lubricants                                   | 802 |
| 16.5.5   | Friction Modifiers                                 | 802 |
| 16.5.6   | Nanomaterials                                      | 803 |
| 16.6     | Manufacture of Greases                             | 803 |
| 16.6.1   | Metal Soap-Based Greases                           | 804 |
| 16.6.1.1 | Batch Production with Preformed Metal Soaps        | 804 |
| 16.6.1.2 | Batch Production with Metal Soaps Prepared In Situ | 804 |
| 16.6.1.3 | Continuous Production                              | 806 |
| 16.6.2   | Oligourea Greases                                  | 806 |
| 16.6.3   | Gel Greases                                        | 807 |
| 16.7     | Grease Rheology                                    | 807 |
| 16.8     | Grease Performance                                 | 808 |
| 16.8.1   | Test Methods                                       | 810 |
| 16.8.2   | Analytical Methods                                 | 812 |
| 16.9     | Applications of Greases                            | 812 |

|           |                                                                                                                                                                 |            |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 16.9.1    | Rolling Bearings                                                                                                                                                | 813        |
| 16.9.1.1  | Re-Lubrication Intervals                                                                                                                                        | 814        |
| 16.9.2    | Cars, Trucks and Construction Vehicles                                                                                                                          | 815        |
| 16.9.3    | Steel Mills                                                                                                                                                     | 819        |
| 16.9.4    | Mining                                                                                                                                                          | 820        |
| 16.9.5    | Railroad, Railway                                                                                                                                               | 820        |
| 16.9.6    | Gears                                                                                                                                                           | 821        |
| 16.9.7    | Food-Grade Applications                                                                                                                                         | 821        |
| 16.9.8    | Textile Machines                                                                                                                                                | 822        |
| 16.9.9    | Application Techniques                                                                                                                                          | 822        |
| 16.9.10   | Special and Lifetime Applications                                                                                                                               | 822        |
| 16.9.11   | Applications with Polymeric Materials                                                                                                                           | 823        |
| 16.10     | Grease Market                                                                                                                                                   | 824        |
| 16.11     | Ecology and the Environment                                                                                                                                     | 825        |
| 16.12     | Grease Tribology                                                                                                                                                | 827        |
|           | References                                                                                                                                                      | 827        |
| <b>17</b> | <b>Solid Lubrication</b>                                                                                                                                        | <b>843</b> |
|           | <i>Christian Busch</i>                                                                                                                                          |            |
| 17.1      | Classification of Solid Lubricants                                                                                                                              | 845        |
| 17.1.1    | Class 1: Structural Lubricants                                                                                                                                  | 846        |
| 17.1.2    | Class 2: Mechanical Lubricants                                                                                                                                  | 847        |
| 17.1.2.1  | Self-Lubricating Substances                                                                                                                                     | 847        |
| 17.1.2.2  | Substances with Lubricating Properties That Need a Supporting Medium                                                                                            | 850        |
| 17.1.2.3  | Substances with Indirect Lubricating Properties Based on Their Hardness (Physical Vapour Deposition, Chemical Vapour Deposition and Diamond-Like Carbon Layers) | 851        |
| 17.1.3    | Class 3: Soaps                                                                                                                                                  | 852        |
| 17.1.4    | Class 4: Chemically Active Substances                                                                                                                           | 852        |
| 17.2      | Characteristics                                                                                                                                                 | 852        |
| 17.2.1    | The Crystal Structures of Lamellar Solid Lubricants                                                                                                             | 853        |
| 17.2.1.1  | Graphite – C                                                                                                                                                    | 853        |
| 17.2.1.2  | Molybdenum Disulfide                                                                                                                                            | 855        |
| 17.2.1.3  | Tungsten(IV) Sulfide                                                                                                                                            | 856        |
| 17.2.1.4  | Boron Nitride                                                                                                                                                   | 856        |
| 17.2.2    | Heat Stability of Lamellar Solid Lubricants                                                                                                                     | 857        |
| 17.2.3    | Melting Point                                                                                                                                                   | 858        |
| 17.2.4    | Thermal Conductivity                                                                                                                                            | 858        |
| 17.2.5    | Adsorbed Films                                                                                                                                                  | 858        |
| 17.2.6    | Mechanical Properties                                                                                                                                           | 859        |
| 17.2.7    | Chemical Stability                                                                                                                                              | 859        |
| 17.2.8    | Purity                                                                                                                                                          | 859        |
| 17.2.9    | Particle Size                                                                                                                                                   | 860        |
| 17.3      | Products Containing Solid Lubricants                                                                                                                            | 860        |